

Botulinum toxin injections improve facial surgical scars

March 9 2018



(HealthDay)—Botulinum toxin injections in surgical wound closure

immediately after surgery improve facial surgery scars, according to a small study published in the March issue of *Plastic and Reconstructive Surgery*.

Li Hu, Ph.D., M.D., from the Shanghai Jiao Tong University, and colleagues injected [botulinum](#) toxin type A into half of each surgical wound closure among 16 consecutive patients who underwent facial surgery between June and October 2015. At six-months post-surgery, two plastic surgeons assessed the scars independently, using the visual analogue scale and the Vancouver Scar Scale.

The researchers found that, based on the 14 patients who completed the study, the visual analogue scale score and [scar](#) width measurements showed a significant improvement in appearance and narrower scars for the halves of the scars treated with botulinum toxin type A (P = 0.046 and 0.001, respectively). The mean Vancouver Scar Scale score was 4.68 for the group injected with botulinum toxin type A versus 5.24 for the control group (P = 0.15).

"This study demonstrates that early post-surgical [botulinum toxin](#) injections can produce better, narrower, and flatter facial surgical scars," the authors write.

More information: [Abstract/Full Text](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Botulinum toxin injections improve facial surgical scars (2018, March 9) retrieved 18 April 2024 from <https://medicalxpress.com/news/2018-03-botulinum-toxin-facial-surgical-scars.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.