

Custom-made foot orthoses appear to be no better than over-the-counter insoles or other treatments

March 19 2018

Foot orthoses specifically moulded to help people with plantar heel pain appear to be no more effective than cheaper over-the-counter insoles or other treatments, suggests a study published in the *British Journal of Sports Medicine*.

Plantar heel pain accounts for between 11% and 15% of all [foot](#) symptoms that require medical attention in adults and for 8%-10% of all running-related injuries.

The most commonly prescribed treatments for plantar pain include modified footwear, taping, stretching exercises, anti-inflammatory agents, extracorporeal shock wave therapy, strengthening exercises and cortisone injections, but there is still a lack of consensus on which treatments are most effective.

Foot orthoses are often recommended in the treatment of the condition, despite a lack of evidence.

Dutch and Danish researchers led by the Erasmus Medical Center, Universitair Medisch Centrum, Rotterdam, in The Netherlands, therefore, set out to investigate the effects of different orthoses on pain, function and self-reported recovery in [patients](#) with plantar heel pain and to compare them with other conservative interventions.

They carried out an analysis of 20 existing randomised controlled trial studies on this issue that had investigated eight different types of foot orthoses. Collectively, the studies had looked at 1,756 patients with the condition.

Analysis revealed that pooled data from six studies showed no difference between prefabricated orthoses and "sham" orthoses (simple insoles bought over the counter) for pain in the short term.

In addition, no difference was found between sham orthoses and custom orthoses for pain in the short term, nor was there a difference between prefabricated orthoses and custom orthoses for pain in the short term.

Overall, for the majority of other interventions, no significant differences were found.

Most of the studies analysed had reported a significant improvement over time in patients treated with orthoses as well as patients treated with other conservative interventions - probably due to the fact that plantar heel pain tends to improve after 12 months.

However, the authors said orthosis interventions did not appear to be superior in improving pain, function or self-reported recovery when compared with other conservative interventions in patients with plantar heel pain.

They concluded: "Foot orthoses are not superior for improving pain and function compared with sham or other orthoses, or other conservative interventions in patients with PHP [[plantar heel pain](#)]."

"We conclude that clinicians should be reserved in prescribing foot orthoses in all patients with PHP and take factors like patient preference and adherence into account."

More information: Efficacy of foot orthoses for the treatment of plantar heel pain: a systematic review and meta-analysis. *British Journal of Sports Medicine* (2018). [bjsm.bmj.com/lookup/doi/10.1136 ... bjsports-2017-097892](https://bjsm.bmj.com/lookup/doi/10.1136/bjsports-2017-097892)

Provided by British Medical Journal

Citation: Custom-made foot orthoses appear to be no better than over-the-counter insoles or other treatments (2018, March 19) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-03-custom-made-foot-orthoses-over-the-counter-insoles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.