


Could a pap test spot more than just cervical cancer?

March 22 2018, by Dennis Thompson, Healthday Reporter



A graphic showing how the papSEEK test detects tumor DNA. Tumor cells from ovarian or endometrial cancers shed and are carried into the uterine cavity and endocervical canal, where they can be collected with the Tao brush or the pap brush. Credit: Y. Wang et al., Science Translational Medicine (2018)



Pap tests have helped drive down rates of cervical cancer, and a new study suggests they also could be used to detect other gynecologic cancers early.

According to the study authors, tissue and fluid collected during a Pap test can detect endometrial and ovarian <u>cancer</u> in women when subjected to genetic testing.

If this new test bears out, it would save thousands of lives each year by catching these cancers at an earlier, more treatable stage, said researcher Dr. Amanda Fader. She is director of the Kelly Gynecologic Oncology Service at Johns Hopkins University School of Medicine in Baltimore.

"The goal here was to be able to detect these cancers through tumor gene mutations that are present in either the bloodstream or fluid collected from the cervix or vagina," Fader said. "If we could detect the cancers earlier or at a pre-cancerous state, there's a potential to not only achieve more cures, but to preserve more fertility in many women."

In a Pap test, doctors collect cells from the cervix using a scraper or brush. The cells are then sent to a lab for analysis.

The researchers behind the new study developed a testing regimen called PapSEEK to see if additional samples collected during a pelvic exam could be used to detect endometrial or ovarian cancer.

PapSEEK searches out "DNA mutations that have already been identified for specific cancers," Fader said. "We tested cervical fluid samples to look at 18 genes that are highly or commonly mutated in endometrial or ovarian cancer."

To see whether the test works, the researchers gathered samples from 1,658 women, including 656 with endometrial or ovarian cancers, as well



as just over 1,000 healthy women for the control group.

The PapSEEK test accurately detected 81 percent of <u>endometrial</u> <u>cancers</u> and 33 percent of <u>ovarian cancers</u>, according to the study.

Accurate detection increased to 93 percent and 45 percent, respectively, when researchers used a Tao brush to collect samples. A Tao brush resembles a pipe cleaner, Fader said, and can be used to collect tissue samples closer to potential tumor sites.

In addition, the researchers further improved ovarian cancer detection rates to 63 percent by testing for tumor DNA in a patient's blood, alongside the DNA Pap test.

A larger study to validate the new test is under way, Fader said.

A "hopeful" timeline would produce the data necessary to get the test into practice within two or three years, but it could take longer, Fader noted.

Debbie Saslow, senior director of human papillomavirus (HPV)-related and women's cancers for the American Cancer Society, said validating the <u>test</u> could take much longer.

"This is a really early preliminary set of results that looks promising. But there's still a long way to go to know if this would actually be helpful," Saslow said.

"I'm not saying it's not promising. I'm just saying it'll take a lot more work," a lot more time and a lot more women to know if it would be clinically valuable, she added.

The report was published in the March 21 issue of the journal Science



Translational Medicine.

More information: Y. Wang el al., "Evaluation of liquid from the Papanicolaou test and other liquid biopsies for the detection of endometrial and ovarian cancers," *Science Translational Medicine* (2018). stm.sciencemag.org/lookup/doi/... scitranslmed.aap8793

Copyright © 2018 HealthDay. All rights reserved.

Citation: Could a pap test spot more than just cervical cancer? (2018, March 22) retrieved 26 April 2024 from https://medicalxpress.com/news/2018-03-pap-cervical-cancer.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.