

Low sperm count not just a problem for fertility

March 18 2018

A man's semen count is a marker of his general health, according to the largest study to date evaluating semen quality, reproductive function and metabolic risk in men referred for fertility evaluation. The study results, in 5,177 male partners of infertile couples from Italy, will be presented Sunday at ENDO 2018, the Endocrine Society's 100th annual meeting in Chicago, Ill.

"Our study clearly shows that [low sperm count](#) by itself is associated with metabolic alterations, cardiovascular risk and low bone mass," said the study's lead investigator, Alberto Ferlin, M.D., Ph.D. He recently moved as associate professor of endocrinology to Italy's University of Brescia from the University of Padova, where the study took place in collaboration with professor Carlo Foresta, M.D.

"Infertile men are likely to have important co-existing [health](#) problems or risk factors that can impair quality of life and shorten their lives," said Ferlin, who is also president of the Italian Society of Andrology and Sexual Medicine. "Fertility evaluation gives men the unique opportunity for health assessment and disease prevention."

Specifically, Ferlin and his colleagues found that about half the men had low sperm counts and were 1.2 times more likely than those with normal sperm counts to have greater body fat (bigger waistline and higher body mass index, or BMI); higher blood pressure (systolic, or top reading), "bad" (LDL) cholesterol and triglycerides; and lower "good" (HDL) cholesterol. They also had a higher frequency of metabolic syndrome, a

cluster of these and other [metabolic risk factors](#) that increase the chance of developing diabetes, heart disease and stroke, the investigators reported. A measure of insulin resistance, another problem that can lead to diabetes, also was higher in men with low sperm counts.

Low sperm count was defined as less than 39 million per ejaculate, a value also used in the U.S. All the men in the study had a [sperm analysis](#) as part of a comprehensive health evaluation in the university's fertility clinic, which included measurement of their reproductive hormones and metabolic parameters.

The researchers found a 12-fold increased risk of hypogonadism, or [low testosterone levels](#), in men with low sperm counts. Half the men with low testosterone had osteoporosis or low bone mass, a possible precursor to osteoporosis, as found on a bone density scan.

These study findings, according to Ferlin, suggest that low sperm [count](#) of itself is associated with poorer measures of cardiometabolic health but that hypogonadism is mainly involved in this association. He cautioned that their study does not prove that low [sperm](#) counts cause metabolic derangements, but rather that [sperm quality](#) is a mirror of the general male health.

The bottom line, Ferlin stressed, is that treatment of male infertility should not focus only on having a child when diagnostic testing finds other health risks, such as overweight, high cholesterol or high blood pressure.

"Men of couples having difficulties achieving pregnancy should be correctly diagnosed and followed up by their fertility specialists and primary care doctor because they could have an increased chance of morbidity and mortality," he said.

Provided by The Endocrine Society

Citation: Low sperm count not just a problem for fertility (2018, March 18) retrieved 10 April 2024 from <https://medicalxpress.com/news/2018-03-sperm-problem-fertility.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.