


Optimized perception in the twilight zone

April 11 2018



a) The variance in resting activity decreases significantly during twilight in the brain areas shown. The variance describes the change in brain activity during measurement. (1) visual, (2-4) somatosensory and (5) auditory cerebral cortex. b) The variance in resting activity -- shown here in the visual cortex by way of example - is reduced at 8:00 and 20:00 in comparison to other times of the day. c) Parallel to a reduction in the variance in resting activity, weak visual stimuli are more easily detected during twilight under the same light conditions. The test persons miss less visual stimuli at 8:00 and 20:00. Credit: GU

In the pre-industrial age, twilight was a dangerous time for humans due to higher risk of encountering nocturnal predators. The ability to see in weak light conditions was therefore at a clear evolutionary advantage. Neuroscientists at Goethe University Frankfurt have now discovered that the human brain prepares for dawn and dusk by ending resting activity in the visual cortex at these times so that weak visual stimuli are not overwhelmed by the brain's background noise.

The transition from night to day, light and dark, has a greater influence on perception than previously known. The time of day has a particularly significant impact on the quality of visual signals around us. In the course of evolution, our visual system has adapted perfectly to light conditions during the day. It has, however, also developed a strategy for twilight—evidently, the [inner clock](#) predicts these periods and prepares the visual system for periods of low-quality visual signals.

"Whilst the cogs of our inner clock have already been studied in depth, it was not known to date which mechanism optimises visual perception at times when poor signal quality can be expected," explains Dr. Christian Kell from the Brain Imaging Center of Goethe University Frankfurt. Lorenzo Cordani, his doctoral researcher, examined how 14 healthy subjects reacted to [visual stimuli](#) at six different times of the day in the framework of a complex fMRI study.

The main idea of the study was to relate the perception of sensory signals to the brain's resting activity. Such [background noise](#) preoccupies the brain even in the complete absence of external stimuli. The international team led by Christian Kell, Lorenzo Cordani and Joerg Stehle showed that the body independently downregulates resting activity in the sensory areas during dawn and dusk. The more resting activity was reduced, the better the subjects were able to perceive weak [visual signals](#)

when measured afterwards.

This means that humans can perceive weak visual stimuli during dawn and dusk better than at other times of the day. In other words, during twilight, the signal-to-noise ratio in the sensory areas of the brain improves. Since resting activity during twilight decreases not only in the visual but also in the auditory and somatosensory regions of the brain, the researchers assume that perception also sharpens in areas besides the visual system. An earlier study showed that weak auditory [stimuli](#) during twilight were perceived better. The mechanism now discovered, which was published in the latest issue of *Nature Communications*, could therefore represent a key [evolutionary advantage](#) that ensured survival in the pre-industrial era.

More information: Lorenzo Cordani et al, Endogenous modulation of human visual cortex activity improves perception at twilight, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-03660-8](https://doi.org/10.1038/s41467-018-03660-8)

Provided by Goethe University Frankfurt am Main

Citation: Optimized perception in the twilight zone (2018, April 11) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-04-optimized-perception-twilight-zone.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--