

Fentanyl now drives drug overdose deaths in U.S.

May 1 2018, by Dennis Thompson, Healthday Reporter



(HealthDay)—Overdose deaths involving dangerous synthetic opioids

like fentanyl have skyrocketed in recent years, surpassing deaths from prescription painkillers, a new U.S. study reveals.

Synthetic opioids—primarily fentanyl—were involved in more than 30 percent of fatal overdoses in 2016, up from roughly 8 percent in 2010, the researchers reported.

Overall, drug [overdose deaths](#) involving fentanyl-type drugs in the United States rose from about 3,000 in 2010 to more than 19,400 in 2016.

"This is very consistent with data from the [U.S.] Drug Enforcement Administration that shows a great increase in the trafficking and availability of synthetic opioids like illicit fentanyl over the past few years," said lead researcher Christopher Jones, of the U.S. Substance Abuse and Mental Health Services Administration.

Prescription painkillers—the previous front-runner in U.S. [drug overdose deaths](#)—accounted for about 17,000 deaths in 2016, and heroin roughly 15,000, the study showed.

According to Linda Richter, director of policy research and analysis with the National Center on Addiction and Substance Abuse, the findings "solidly confirm what front-line health care and law enforcement professionals in towns and cities across the country know from firsthand experience: deadly synthetic opioids like fentanyl are now the main drivers of drug [overdose](#) deaths in the United States."

Richter warned that "these drugs are about 50 times more potent than heroin and up to 100 times more potent than morphine. It only takes a tiny amount of the drug to cause a deadly reaction."

The greatest risk is borne by people who use other opioids, such as

heroin or [prescription painkillers](#).

Looking at heroin specifically, about 37 percent of all overdose deaths also involved synthetic opioids in 2016, up from just 1.5 percent in 2010, the researchers said.

However, people who use other drugs are increasingly at risk, too, the investigators found after analyzing [death](#) data.

Synthetic opioids were implicated in more than 40 percent of all cocaine overdose deaths in 2016, up from 4 percent in 2010.

Benzodiazepine users also were at increased risk, with 31 percent of overdose deaths involving a drug like fentanyl in 2016 compared with less than 12 percent in 2010, according to the report. Common benzodiazepines include Valium and Ativan.

People might not know they are taking fentanyl when they buy heroin or cocaine, since drug dealers frequently cut those substances with much cheaper synthetic opioids, Jones said.

Large numbers of counterfeit pills also have started flooding the illicit drug market, he added. These pills look like oxycodone, Percocet, Xanax or other prescription drugs, but are actually pressed fentanyl.

"This really raises the risk pool for people who are being exposed to these high-potency opioids," Jones said.

"Oftentimes, they don't know they're being exposed to these opioids. We want to get information out that the illicit drug supply is essentially very contaminated and toxic," he added.

Prince, the late rock music star, is perhaps the highest-profile victim of

counterfeit fentanyl. Law enforcement officials said his accidental 2016 death from fentanyl was traced to a look-alike, counterfeit version of the opioid painkiller Vicodin, which Prince had been taking for chronic hip pain, according to published reports.

And, Jones said, even people who think they are taking fentanyl might be blindsided.

"Some people may think, 'this is fentanyl, I've used it before and I haven't overdosed,' but the next day it could be some other analogue of [fentanyl](#) that is more potent," he explained. "If they're using the same amount, it would be a much higher risk for overdose."

Richter said that this latest development shows that past efforts to curb the opioid epidemic, such as prescription drug monitoring, now "are largely missing the mark."

Instead, she suggested, "we need a comprehensive approach to substance use and addiction in this country that finally acknowledges that chasing the latest drug trend is a losing battle."

Prevention efforts that start with young children and a significantly overhauled addiction-treatment system will be key to addressing the [opioid](#) epidemic, as well as any future crises involving [drug](#) abuse, Richter said.

"Finally, we need to eliminate the stigma around this very preventable and treatable disease so that those who need help get the care they deserve without being shunned as criminals or sacrificing their human dignity," she said.

Jones agreed that doctors need to do a better job steering overdose survivors into addiction treatment.

In the meantime, experts suggest that lives can be saved through broader distribution of the anti-overdose medication naloxone (Narcan), and by improved [law enforcement](#) efforts to cut the supply of synthetic opioids entering the country.

The report was published in the May 1 issue of the *Journal of the American Medical Association*.

More information: Christopher Jones, PharmD, MPH, director, National Mental Health and Substance Use Policy Laboratory, U.S. Substance Abuse and Mental Health Services Administration; Linda Richter, Ph.D., director, policy research and analysis, National Center on Addiction and Substance Abuse; May 1, 2018, *Journal of the American Medical Association*.

The Partnership for Drug-Free Kids has more about [synthetic opioids](#).

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Fentanyl now drives drug overdose deaths in U.S. (2018, May 1) retrieved 18 April 2024 from <https://medicalxpress.com/news/2018-05-fentanyl-drug-overdose-deaths.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--