

## **Omega-3, omega-6 in diet alters gene expression in obesity**

May 15 2018



Credit: CC0 Public Domain

A new study reveals that essential fats in the diet may play a role in regulating protein secretion in the muscles by changing the way genes associated with secretion act. The study is published ahead of print in



## Physiological Genomics.

Alpha-linolenic acid (ALA) and linoleic acid (LA) are plant-based essential fats—called polyunsaturated fatty acids (PUFA)—that humans consume through diet. ALA is an omega-3 fatty acid; LA is an omega-6 fatty <u>acid</u>. Omega-3 and omega-6 fatty acids have been shown to be beneficial to brain health and reduce the risk of inflammation and heart disease.

Previous studies have shown that proteins secreted from the muscles (skeletal <u>muscle</u> secretome) help regulate signaling of metabolic activities such as muscle fiber formation and the function of insulin-producing beta cells in the pancreas. This prior research suggests that obesity and insulin resistance—an inability of the body to properly respond to insulin—changes the skeletal muscle secretome. A research team from the University of Guelph in Ontario, Canada, explored how regular consumption of essential fats regulates how genes use information (gene expression) associated with the skeletal muscle secretome.

The researchers studied glucose levels and took samples from muscle and RNA—a molecule chain that uses genetic information from DNA to produce proteins in the cells—from four groups of rats:

- a lean group ate a normal diet ("lean"),
- an obese group ate food supplemented with ALA ("ALA"),
- an obese group ate food supplemented with LA ("LA"), and
- an obese control group ate a normal diet ("obese control").

After 12 weeks on the respective diets, both the ALA and LA groups had lower glucose levels and better glucose tolerance compared to the obese control group. These factors improved more in the ALA group than the LA one. In addition, the researchers found more than 135 genes



that expressed differently—based on <u>diet</u>—among the four groups of animals, including genes that correspond with 15 secreted proteins. Expression in most of these proteins differed between the lean and obese groups.

These results suggest that "LA and ALA may differentially regulate the skeletal muscle secretome," the researchers explained, and that the addition of PUFA further alters gene expression. "Our findings concerning the relationship between obesity and the skeletal muscle secretome add valuable information to a relatively understudied area of investigation."

**More information:** Alex Rajna et al, Alpha-linolenic acid and linoleic acid differentially regulate the skeletal muscle secretome of obese Zucker rats, *Physiological Genomics* (2018). DOI: 10.1152/physiolgenomics.00038.2018

## Provided by American Physiological Society

Citation: Omega-3, omega-6 in diet alters gene expression in obesity (2018, May 15) retrieved 7 May 2024 from <u>https://medicalxpress.com/news/2018-05-omega-diet-gene-obesity.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.