

Breast cancer studies ignore race, socioeconomic factors

June 27 2018

The Bloomberg School scientists, in a commentary that appears in the July issue of *Cancer Causes & Control*, point to evidence that social factors help determine people's vulnerability to cancer, and argue that these factors should be considered routinely in studies and risk assessments that bear on clinical care.

"We've been missing opportunities to understand and reduce disparities in breast [cancer](#) risk and outcomes," says lead author Lorraine T. Dean, ScD, an assistant professor in the Department of Epidemiology at the Bloomberg School. "Simply put, not enough is being done to understand how race, income level and other social factors tie in to cancer susceptibility."

A 2014 review of over 20 years of National Cancer Institute clinical trials, for example, found that only about 20 percent of the randomized controlled studies reported results stratified by race/ethnicity. In a follow-up analysis of 57 breast cancer observational and randomized controlled trials that were published in 2016, the researchers found that, after excluding those in which the primary focus was disparities, fewer than five percent of studies reported findings stratified by race or other socioeconomic factors.

As Dean and colleagues note in their commentary, it should be obvious that in general, neglecting race/ethnicity and other social factors in medical research can mask important drivers of bad outcomes. For example, a recent high-profile study sorting mortality rates by race and

socioeconomic status revealed that midlife mortality is increasing among blue collar whites in the U.S. even though it is declining for the population overall. Those findings drew attention to ongoing increases in suicides and substance-abuse-related deaths for blue collar whites, and led researchers to zero in on economic despair and social decay as the likely causes.

"A lot of scientists don't want to deal with race or socioeconomic position in their studies because they think those characteristics aren't modifiable," Dean says. "But they can actually help identify factors that are modifiable. You can't change your genes, for example, but we still do genetic studies because they illuminate pathways we can change with medicines or other interventions."

Breast cancers are the principal research focus for Dean and colleagues. They see the potential—and many missed opportunities to date—for research to uncover or at least address social-related risk factors for this set of diseases.

They point out, for example, that standard breast cancer risk assessment tools haven't always taken race into account—even though there are significant racial disparities in the risks for certain types of breast cancer as well as breast cancer mortality rates. For many years, a commonly used questionnaire tool for assessing [breast cancer risk](#) (now known simply as the Breast Cancer Risk Assessment Tool) was validated only for white women. It tended to underestimate significantly the risks of breast cancers for black women, who have lower rates of mammogram screening and higher rates of breast cancer at younger ages. That error may have kept many black women from participating in cancer-prevention trials of drugs such as tamoxifen.

"The model was revised in 2015 to take race into account, and now estimates black female eligibility for chemoprevention at nearly three

times the rate of the original model," says Dean.

Clinical trials and population studies should be powerful tools for uncovering links between social factors and cancer vulnerability, which in turn should lead to better risk reduction and/or treatment strategies. But here too, the necessary information isn't routinely gathered.

To address the issue, Dean and her colleagues recommend increasing education and awareness about the importance of inclusion of social factors in clinical research; adding requirements for data on social factors to journal guidelines for reporting study results; and refining cancer risk assessment tools by including [social factors](#).

"If adopted, these measures would enable more effective design and implementation of interventions," Dean says, "and would help eliminate [breast cancer](#) racial and socioeconomic disparities by accounting for the social and environmental contexts in which cancer patients live and are treated."

"Social factors matter in cancer risk and survivorship" was written by Lorraine T. Dean, Sarah Gehlert, Marian L. Neuhouser, April Oh, Krista Zanetti, Melody Goodman, Beti Thompson, Kala Visvanathan, and Kathryn H. Schmitz.

Provided by Johns Hopkins University Bloomberg School of Public Health

Citation: Breast cancer studies ignore race, socioeconomic factors (2018, June 27) retrieved 5 May 2024 from <https://medicalxpress.com/news/2018-06-breast-cancer-socioeconomic-factors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.