

Lentils significantly reduce blood glucose levels, study reveals

June 13 2018



Dan Ramdath of Agriculture and Agri-Food Canada, U of G Ph.D. student Dita Moravek and U of G Prof. Alison Duncan. Credit: University of Guelph

Replacing potatoes or rice with pulses can lower your blood glucose levels by more than 20 per cent, according to a first-ever University of Guelph study.

Prof. Alison Duncan, Department of Human Health and Nutritional Sciences, and Dan Ramdath of Agriculture and Agri-Food Canada,

found that swapping out half of a portion of these starchy side dishes for [lentils](#) can significantly improve your body's response to the carbohydrates.

Replacing half a serving of rice with lentils caused [blood glucose](#) to drop by up to 20 per cent. Replacing potatoes with lentils led to a 35-per-cent drop.

"Pulses are extremely nutrient-dense food that have the potential to reduce chronic diseases associated with mismanaged glucose levels," said Duncan, who worked on the study with Ph.D. student Dita Moravek and M.Sc. students Erica Rogers, Sarah Turkstra and Jessica Wilson.

Yet very few Canadians eat lentils, she added.

"Canada has a huge production of lentils, but we export most of it and only 13 per cent of Canadians eat them on any given day," said Duncan. "We are hoping this research will make people more aware of the health benefits of eating pulses."

Published and specially featured in the *Journal of Nutrition*, the study involved 24 healthy adults fed four dishes—white rice only, half white rice and half large green lentils, half white rice and half small green lentils, and half white rice and half split red lentils.

Researchers measured glucose levels in the participants' blood before they ate and during two hours afterward. They repeated the process for white potatoes alone and the same combinations of potatoes and lentils.

"We mixed the lentils in with the potatoes and [rice](#) because people don't typically eat pulses on their own, but rather consume them in combination with other starches as part of a larger meal, so we wanted the results to reflect that."

Blood glucose fell by similar amounts when half of the starch was replaced with each of the three types of lentils.

Blood glucose comprises sugar found in the blood during digestion in the upper digestive tract and depends on the starch content of foods consumed.

Pulses, such as lentils, can slow digestion and the release of sugars found in starch into the bloodstream, ultimately reducing blood glucose levels, said Duncan.

"This slower absorption means you don't experience a spike in glucose. Having high levels over a period of time can lead to mismanagement of blood glucose, which is the hallmark of Type 2 diabetes. Essentially, eating lentils can lower that risk."

Pulses contain components that inhibit enzymes involved in absorption of glucose, and fibre contained in these foods can encourage the production of short-chain fatty acids, which can also help to reduce blood glucose levels, added Duncan.

Health Canada requires a 20-per-cent reduction in [blood glucose levels](#) before a health claim about [blood glucose](#) lowering can be approved, said Duncan.

"We are hoping that building evidence for approval of a health claim for pulses will further encourage people to add pulses to their side dishes."

More information: Dita Moravek et al, Carbohydrate Replacement of Rice or Potato with Lentils Reduces the Postprandial Glycemic Response in Healthy Adults in an Acute, Randomized, Crossover Trial, *The Journal of Nutrition* (2018). [DOI: 10.1093/jn/nxy018](https://doi.org/10.1093/jn/nxy018)

Provided by University of Guelph

Citation: Lentils significantly reduce blood glucose levels, study reveals (2018, June 13) retrieved 24 April 2024 from

<https://medicalxpress.com/news/2018-06-lentils-significantly-blood-glucose-reveals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.