

# New information for women faced with infertility

October 3 2018

---

A new *Journal of Obstetrics and Gynaecology Research* study offers infertile women new information regarding their expected probabilities of becoming pregnant and may help them select the optimal treatment based on their various risk factors.

In an analysis of the medical records of 1,864 female infertile patients in Tokyo from 2000-2015, 49.4% and 21.9% of patients conceived after being treated with assisted reproductive technology (ART) and non-ART, respectively. Age over 35 years, advanced endometriosis, and a past history or current presence of [uterine fibroids](#) had negative impacts on the outcome of non-ART. The effect of advanced endometriosis was especially high for patients in their 30s. ART [treatment](#) for patients with advanced endometriosis was effective.

ART treatments include in vitro fertilization and [intracytoplasmic sperm injection](#), while non-ART treatments include mild ovarian stimulation together with timed intercourse and/or intra-uterine insemination.

"Some women in their early 30's may be suffering from advanced stage endometriosis and will remain to be infertile unless they are extensively treated," said co-author Dr. Osamu Wada-Hiraike, of The University of Tokyo.

**More information:** Wataru Isono et al, The efficacy of non-assisted reproductive technology treatment might be limited in infertile patients with advanced endometriosis in their 30s, *Journal of Obstetrics and*

*Gynaecology Research* (2018). [DOI: 10.1111/jog.13826](https://doi.org/10.1111/jog.13826)

Provided by Wiley

Citation: New information for women faced with infertility (2018, October 3) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-10-women-infertility.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.