

# Frequent sauna use associated with lower cardiovascular death rate in men and women

November 28 2018

---



Credit: CC0 Public Domain

Regular sauna use is associated with a lower risk of death from cardiovascular disease (CVD) in men and women aged 50 years and over, according to a study published in the open access journal *BMC*

## *Medicine.*

Researchers from the University of Eastern Finland and the University of Jyväskylä, Finland found that mortality from CVD among people who used a sauna four to seven times a week was 2.7 fatal CVD events per 1,000 person years, compared to 10.1 events per 1,000 person years in those who used a sauna once a week. Person years refers to the total number of years that participants remained in the study. It is a way of measuring the number of new events in the study population in a given time period, with a lower number of events indicating a lower risk.

Professor Jari Laukkanen, the corresponding author, said: "An important finding of this research is that more regular sauna use is associated with a lower risk of death from CVD in middle-aged to elderly women as well as in men. Previous population studies were done mostly in men only."

Professor Laukkanen continued: "There are several possible reasons why sauna use may decrease the risk of death due to CVD. Our [research team](#) has shown in previous studies that high sauna use is associated with lower blood pressure. Additionally, sauna use is known to trigger an increase in heart rate equal to that seen in low to moderate intensity physical exercise."

The incidence (i.e. number of new cases) of CVD mortality over the study period was also found to decrease as the length of time spent in the sauna per week increased. For those who spent over 45 minutes per week in the sauna in total the incidence was 5.1 per 1,000 person years whilst it was 9.6 for those who spent less than 15 minutes per week in the sauna in total.

The authors assessed sauna use by a self-reported questionnaire and checked deaths from cardiovascular causes against documents from hospitals and health centre wards, [death](#) certificates, as well as medico

legal reports for 1,688 participants living in and around Kuopio, Finland. At the start of the study, the participants were on average 63 years old and 51.4% were women. Data for this prospective study were collected between 1998 and 2015 and the mean follow-up time was 15 years.

The authors caution that all the patients whose data were analyzed in this study were from one region and therefore there is a need for further research to understand if the findings apply to other populations. The observational nature of the study does not allow for conclusions about cause and effect.

**More information:** Tanjaniina Laukkanen et al, Sauna bathing is associated with reduced cardiovascular mortality and improves risk prediction in men and women: a prospective cohort study, *BMC Medicine* (2018). [DOI: 10.1186/s12916-018-1198-0](https://doi.org/10.1186/s12916-018-1198-0)

Provided by BioMed Central

Citation: Frequent sauna use associated with lower cardiovascular death rate in men and women (2018, November 28) retrieved 9 April 2024 from <https://medicalxpress.com/news/2018-11-frequent-sauna-cardiovascular-death-men.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--