

Calories in popular restaurant chain meals 'excessive' warn experts

December 12 2018



Credit: CC0 Public Domain

The calorie content of popular main meals served in UK and international restaurant chains is excessive and only a minority meet public health recommendations, finds a University of Liverpool study



published in the Christmas issue of *The BMJ*.

University of Liverpool researchers call for the <u>food industry</u> to reduce the number of calories in <u>food products</u> sold to the general public and for mandatory labelling of all <u>restaurant</u> food.

England's national public health agency recently recommended that midday and evening meals contain no more than 600 calories (kcal) each. But while the poor nutritional content of 'fast food' has been well studied, the <u>energy content</u> of traditional 'full service' restaurants has received less attention.

To better understand the extent to which restaurants are contributing to overconsumption, researchers compared the calorie content of popular meals from major fast food and full service restaurant chains across several countries.

In the study researchers, led by Dr. Eric Robinson from the University's Department of Psychological Science, analysed the calories in 13,500 main meals from 27 large UK restaurant chains (21 full-service, six fast-food).

They found an average of 751 kcal in main meal dishes served by fast food chains, and 1033 kcal in dishes served by full service restaurant chains.

Only a small minority of meals met the 600 kcal public health recommendations, with 89% of full service dishes and 83% of <u>fast food</u> dishes over this limit.

Dr. Eric Robinson, said: "Only one in ten of the meals we surveyed could be considered a healthy number of calories. Although some of the results are shocking our findings probably underestimate the number of



calories consumed in restaurants because our analysis did not include drinks, starters, desserts or side orders.

"It's really clear what the <u>food</u> industry need to do, they need to act more responsibly and reduce the number of calories that they're serving."

More information: '(Over)eating out at major UK restaurant chains: observational study of energy content of main meals', *BMJ* (2018). DOI: 10.1136/bmj.k4982

Provided by University of Liverpool

Citation: Calories in popular restaurant chain meals 'excessive' warn experts (2018, December 12) retrieved 21 June 2024 from https://medicalxpress.com/news/2018-12-calories-popular-restaurant-chain-meals.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.