

One test to diagnose them all: Researchers exploit cancers' unique DNA signature

December 5 2018, by Abu Sina, Laura G. Carrascosa And Matt Trau



Credit: AI-generated image (disclaimer)

Researchers have developed a test that could be used to diagnose all cancers. It is based on a unique DNA signature that appears to be common across cancer types.

The test has yet to be conducted on humans, and <u>clinical trials</u> are



needed before we know for sure if it can be used in the clinic.

Each <u>cancer type</u>, whether it be breast or <u>bowel cancer</u>, has different genetic and other features. A test that detects one cancer may not work on another. Researchers have long been looking for a commonality among cancers to develop a diagnostic tool that could apply across all types.

Our research, published in the journal *Nature Communications*, has found that cancer DNA forms a unique structure when placed in water. The structure is the same in DNA from samples of breast, prostate and bowel cancers, as well as lymphoma. We used this discovery to develop a test that can identify the cancerous DNA in less than ten minutes.

How our test works

Current detection of cancer requires a tissue biopsy – a surgical procedure to collect tissue from the patient's tumour. Researchers have been looking for a less invasive diagnostic test that can detect cancers at an earlier stage. One possibility, still in development, is a liquid biopsy, testing for circulating cancer DNA in the blood.

Our test also uses circulating cancer DNA but involves a different detection method.

Nearly every cell in a person's body has the same DNA, but <u>studies have</u> <u>found</u> that cancer's progression causes this DNA to undergo considerable reprogramming.

This change is particularly evident in the distribution pattern of a tiny molecule called a methyl group, which decorates the DNA.

A normal cell DNA's distinct methyl pattern is crucial to regulating its



machinery and maintaining its functions. It is also responsible for turning genes on and off. Altering this pattern is one of the ways cancer cells regulate their own proliferation.

This methyl patterning has been studied before. However, its effect in a solution (such as water) has never been explored. Using <u>transmission</u> <u>electron microscopy</u> (a high-resolution microscope), we saw that cancerous DNA fragments folded into three-dimensional structures in water. These were different to what we saw with normal tissue DNA in the water.

In the lab, <u>gold particles</u> are <u>commonly used</u> to help detect biological molecules (such as DNA). This is because <u>gold</u> can affect molecular behaviour in a way that causes visible colour changes. We discovered that cancerous DNA has a strong affinity towards gold, which means it strongly binds to the gold particles.

This finding directed us to develop a test that can detect cancerous DNA in blood and tissue. This requires a tiny amount of purified DNA to be mixed with some drops of gold particle solution. By simply observing the colour change, it is possible to identify the cancerous DNA with the naked eye within five minutes.

The test also works for electrochemical detection – when the DNA is attached onto flat gold electrodes. Since cancer DNA has higher affinity to gold, it provides a higher relative electrochemical current signal in comparison to normal DNA. This electrochemical method is highly sensitive and could also eventually be used as a diagnostic tool.

Why this matters

For this test to work properly the DNA must be pure. So far we have tested more than 200 tissue and blood samples, with 90% accuracy.



Accuracy is important to ensure there are fewer false positives – wrongly detecting cancer when there is none.

The types of cancers we tested included breast, prostate, bowel and lymphoma. We have not yet tested other cancers, but because the methylation pattern is similar across all cancers it is likely the DNA will respond in the same way.

It is a promising start, though further analysis with more samples is needed to prove its clinical use.

The next step is to do a large clinical study to understand how early a cancer can be detected based on this novel DNA signature. We are assessing the possibility to detect different <u>cancer types</u> from different body fluids from early to later stages of <u>cancer</u>.

We are also considering whether the <u>test</u> could help monitor treatment responses based on the abundance of DNA signatures in body fluid during treatment.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: One test to diagnose them all: Researchers exploit cancers' unique DNA signature (2018, December 5) retrieved 25 April 2024 from https://medicalxpress.com/news/2018-12-exploit-cancers-unique-dna-signature.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.