

Bat influenza viruses could infect humans

February 21 2019



Credit: CC0 Public Domain

Bats don't only carry the deadly Ebola virus, but are also a reservoir for a new type of influenza virus. These newly discovered flu viruses could potentially also attack the cells of humans and livestock, researchers at the University of Zurich have now shown.

Seasonal outbreaks of the flu are caused by [influenza](#) viruses that can only infect people. Influenza types that circulate in birds or pigs are normally not a threat to humans. However, in rare cases an avian or pig [virus](#) can pass on to humans—a process called zoonotic transmission—which at worst can lead to a global influenza pandemic with numerous serious illnesses and deaths.

About six years ago, a new kind of influenza virus was discovered in [bats](#) in South America. The flying mammals have been the focus of virologists for a long time because they carry many kinds of viruses, including lethal ones such as the Ebola virus. However, it has previously been unclear whether bat influenza viruses also present a threat to humans. An international research team led by the University of Zurich (UZH) has now discovered that these new influenza viruses have the potential to also infect humans and livestock.

Previously known influenza viruses bind to host cells via sialic acids. These groups of chemicals can be found on the surface of almost all human cells and in various animals. This is one of the reasons why influenza viruses can infect species that are very different from one another, such as ducks, chickens, pigs and humans. Unlike these viruses, the bat influenza viruses don't bind to sialic acids, which is why several research teams all over the world started searching for the receptor through which they enter human cells.

Bat viruses use MHC-II molecule to enter cell

Silke Stertz and her team at the Institute of Medical Virology at UZH have now been able to identify this "entry gate."

"The influenza viruses use MHC-II molecules to enter the [host cell](#)," says study lead Stertz. These protein complexes are normally located on the surface of certain immune cells, and their role is to distinguish between

the body's own cells and structures and those that are foreign. A few other virus types also enter cells in this way.

"What surprised us is that bat influenza viruses can not only use the MHC-II complexes of human cells, but also those of chickens, pigs, mice and several bat species," explains UZH Ph.D. candidate Umut Karakus, first author of the study. The [influenza viruses](#) of bats thus have the potential to infect both humans as well as livestock, at least at the level of entering [cells](#). "Such an infection has not yet been observed. However, our findings show that the viruses generally have this zoonotic potential," adds Silke Stertz. This is reason enough for the UZH virologist to continue researching the potentially dangerous viruses, not least since due to migration and travel the problem is not restricted to South America.

More information: Umut Karakus et al, MHC class II proteins mediate cross-species entry of bat influenza viruses, *Nature* (2019). [DOI: 10.1038/s41586-019-0955-3](#)

Provided by University of Zurich

Citation: Bat influenza viruses could infect humans (2019, February 21) retrieved 2 May 2024 from <https://medicalxpress.com/news/2019-02-influenza-viruses-infect-humans.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
