


New therapy approach points to potential treatment of liver cancer patients with hepatitis B virus infection

March 28 2019



Workflow of how: 1) eligible patients and the appropriate HBV-specific T cells are selected and 2) T cells are engineered, for T cell therapy of HBV-HCC. Credit: Gastroenterology

Researchers from Duke-NUS Medical School, Singapore General Hospital (SGH) and Lion TCR have demonstrated that they were able to engineer HBV-specific T cells, a type of immune cells found in the body, to treat Hepatocellular carcinoma (HCC), a commonly occurring liver cancer. The treatment was also individualised, as T cells that were engineered were specific to the patients. The approach was successfully



performed on two liver transplanted patients who had HBV associated liver cancer recurrence with one patient seeing a reduction in size of the tumour lesions.

Chronic hepatitis B virus (HBV) infection is predominant in Asia and is highly associated with the development of Hepatocellular carcinoma (HCC), the commonly occurring liver cancer. The currently effective treatments for small to moderate size HCC are restricted to surgery, liver transplantation and loco-regional treatment that kill cancer cells by interventional radiologic means, while treatment with drugs helps only in a modest increase in the <u>overall survival</u> in more extensive disease. In patients who have HCC recurrence after <u>liver transplantation</u>, the treatment options are even more limited.

"In this study we showed that the integrated HBV-DNA gene components in the HCC cells were able to activate functional HBV-specific T cells. Hence, by analyzing the specific HBV- DNA integration patterns in these HCC cells, we were able to select, design and engineer the individualised T cells for therapy. Our studies showed that these engineered T cells were able to destroy the tumor," said Dr. Antonio Bertoletti, Professor of the Emerging Infectious Diseases (EID) Programme at Duke-NUS, Founder of the Singapore biotech company Lion TCR and co- author of the study.

"There were over 20 T cell infusions that were successfully performed on the two liver- transplanted patients. None of the patients experienced adverse reactions related to the treatment and one of them had a reduction in the tumour size of distant metastases of the liver cancer. Given that 80 per cent of the HCC cases in Asia are currently HBV-related, this approach could lead to a major breakthrough in improving the survival and quality of life of patients suffering from this disease," said Dr. Thinesh Lee Krishnamoorthy, consultant, Department of Gastroenterology and Hepatology, SGH, and co-author of this study.



The authors plan to further refine the technique and treatment strategy with further research study and trials to improve the efficacy of the therapy.

More information: Tan AT et al. Use of expression profiles of HBV DNA integrated into genomes of Hepatocellular carcinoma cells to select T cells for immunotherapy. *Gastroenterology*. 2019. DOI: 10.1053/j.gastro.2019.01.251

Provided by Duke-NUS Medical School

Citation: New therapy approach points to potential treatment of liver cancer patients with hepatitis B virus infection (2019, March 28) retrieved 27 April 2024 from https://medicalxpress.com/news/2019-03-therapy-approach-potential-treatment-liver.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.