

Microbial contaminants found in popular ecigarettes

April 24 2019



Credit: CC0 Public Domain

Popular electronic cigarette (e-cigarette) products sold in the U.S. were contaminated with bacterial and fungal toxins, according to new research from Harvard T.H. Chan School of Public Health.



The study, which examined 75 popular <u>e-cigarette</u> products—cartridges (<u>single use</u>) and e-liquids (refillable material)—found that 27% contained traces of <u>endotoxin</u>, a microbial agent found on Gramnegative bacteria, and that 81% contained traces of glucan, which is found in the cell walls of most fungi. Exposure to these microbial toxins has been associated with myriad health problems in humans, including asthma, reduced lung function, and inflammation.

"Airborne Gram-negative bacterial endotoxin and fungal-derived glucans have been shown to cause acute and chronic respiratory effects in occupational and environmental settings," said David Christiani, Elkan Blout Professor of Environmental Genetics and senior author of the study. "Finding these toxins in e-cigarette products adds to the growing concerns about the potential for adverse respiratory effects in users."

The study will be published online in *Environmental Health Perspectives* on April 24, 2019.

The use of e-cigarettes has been steadily climbing in recent years, especially among high school and middle school students. It's estimated that more than three million high school students used e-cigarettes in 2018, up from 220,000 in 2011. Previous research from Harvard Chan School has shown that chemicals linked with severe respiratory disease are found in common e-cigarette flavors. Moreover, research by investigators conducted over many decades has shown chronic lung impairment in populations exposed to airborne biological contaminants. Yet, according to the authors, no research exists on the potential contamination of e-cigarettes with microbes or microbial toxins.

For this study, the researchers selected 37 e-cigarette cartridges, sometimes referred to as "cigalikes," and 38 e-liquid products, which can be used to refill certain cartridges, from the 10 top-selling U.S. brands. The products were classified into four different flavor categories:



tobacco, menthol, fruit, and other. All of the products were then screened for the presence of endotoxin and glucan.

The findings showed that 17 of 75 products (23%) contained detectable concentrations of endotoxin and that 61 of 75 products (81%) contained detectable concentrations of glucan. Further analysis showed that cartridge samples had 3.2 times higher concentrations of glucan than the e-liquid samples. Glucan concentrations were also significantly higher in tobacco- and menthol-flavored products than in fruit-flavored products. The study also found that endotoxin concentrations were higher in fruit-flavored products, indicating that raw materials used in the production of flavors might be a source of microbial contamination.

The researchers noted that the contamination of the products could have occurred at any point during the production of the ingredients or of the finished e-cigarette product. They hypothesized that cotton wicks used in e-cigarette cartridges may be one potential source of contamination, as both endotoxin and glucan are known contaminants of cotton fibers.

"In addition to inhaling harmful chemicals, e-cig users could also be exposed to biological contaminants like endotoxin and glucan," said Mi-Sun Lee, research fellow and lead author of the paper. "These new findings should be considered when developing regulatory policies for e-cigarettes."

Joseph Allen, assistant professor of exposure assessment science, was also a co-author.

More information: "Endotoxin and (1®3)-b-D-glucan Contamination in Electronic Cigarette Products Sold in the U.S.," Mi-Sun Lee, Joseph Allen, David Christiani, *Environmental Health Perspectives* (2019). DOI: 10.1289/EHP3469



Provided by Harvard T.H. Chan School of Public Health

Citation: Microbial contaminants found in popular e-cigarettes (2019, April 24) retrieved 10 April 2024 from

https://medicalxpress.com/news/2019-04-microbial-contaminants-popular-e-cigarettes.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.