

Draft recommendation promotes screening women for anxiety

April 9 2019



(HealthDay)—Adolescent and adult women, including those who are pregnant and postpartum, should be assessed for anxiety as a routine preventive health service, according to a draft recommendation statement published online April 1 by the Women's Preventive Services Initiative (WPSI).

Noting that [anxiety](#) is more common in women than men and in [adolescent girls](#) than boys, the WPSI has released a draft recommendation on screening women for anxiety.

The optimal screening intervals are currently unknown, and therefore, physicians should use their clinical judgement to determine when screening for anxiety is warranted. Clinicians should consider screening women who have not recently been screened. Clinicians may consider screening for anxiety in conjunction with depression because of the frequent co-occurrence of these disorders. Validated instruments that screen for anxiety and depression simultaneously may be clinically efficient in practice settings. Although studies have not yet evaluated the [benefits](#) and harms of population screening for anxiety, trials support the effectiveness of managing anxiety among patients with clinically diagnosed anxiety. The recommendation is available for public comment until May 1, 2019.

"By screening, we're looking to identify patients who've not otherwise come to attention for their anxiety," James Stevermer, M.D., a member of the American Academy of Family Physicians, said in a statement.

"What proportion of these women will benefit from diagnosis and treatment for anxiety? What proportion could be harmed, for example by overdiagnosis, labeling, or an adverse effect of therapy?"

More information: [More Information](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Draft recommendation promotes screening women for anxiety (2019, April 9) retrieved 3 May 2024 from <https://medicalxpress.com/news/2019-04-screening-women-anxiety.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.