

Scientists identify how the exosomes of the parasite responsible for Chagas disease affect heart cells

May 10 2019



Parasite responsible for Chagas disease. Credit: University of Granada

A team of scientists from the University of Granada (UGR) has broken new ground in Chagas disease research. This is a serious parasitic disease

that affects more than 8 million people worldwide and for which there is currently no treatment.

The researchers have successfully identified how the exosomes (extracellular nanovesicles) released by the parasite responsible for the disease attack heart [cells](#), thereby causing one of its most frequent complications, cardiac illness. This finding could make an invaluable contribution to designing new therapies to combat the disease.

Annually, some 300,000 new cases of Chagas disease (American trypanosomiasis) are diagnosed worldwide, and it claims about 15,000 lives per year. Today, it is considered one of the most serious so-called neglected diseases, due to its current geographical reach.

Caused by the parasite *Trypanosoma cruzi*, Chagas disease is passed on through infected insects. It can lead to life-threatening conditions including severe intestinal problems and heart failure. Exosomes are nanovesicles released by cells that play an important role in transmitting biological components, both physiologically and pathologically.

The study, led by Professor Antonio Osuna, Director of the UGR's Biotechnology Institute, has demonstrated how these vesicles are able to affect [healthy cells](#), alter their mobility, and help the parasite to enter the body.

Doctor Osuna explains: "These exosomes are also capable of affecting the permeability of membranes and the cytoskeleton, which facilitates the entry of molecules that would not normally have access."

The team's findings have succeeded in clarifying the effect of the exovesicles released by *Trypanosoma cruzi*, thus contributing to identifying the mechanism that could explain the clinical manifestations of Chagas disease, as well as possible therapeutic targets.

The study, entitled "Extracellular vesicles of Trypanosoma cruzi tissue-culture cell-derived trypomastigotes: Induction of physiological changes in non-parasitized culture cells," recently featured on the front page of the journal *PLOS Neglected Tropical Diseases*.

More information: Lissette Retana Moreira et al. Extracellular vesicles of *Trypanosoma cruzi* tissue-culture cell-derived trypomastigotes: Induction of physiological changes in non-parasitized culture cells, *PLOS Neglected Tropical Diseases* (2019). [DOI: 10.1371/journal.pntd.0007163](https://doi.org/10.1371/journal.pntd.0007163)

Provided by University of Granada

Citation: Scientists identify how the exosomes of the parasite responsible for Chagas disease affect heart cells (2019, May 10) retrieved 17 April 2024 from <https://medicalxpress.com/news/2019-05-scientists-exosomes-parasite-responsible-chagas.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.