


Statin therapy reduced the risk of stroke and possibly other complications in cancer patients following radiation

June 19 2019



Credit: CC0 Public Domain

Cancer patients taking cholesterol-lowering statin medication following radiation therapy of the chest, neck or head had significantly reduced risk of suffering a stroke, and possibly other cardiovascular

complications, according to new research in *Journal of the American Heart Association*.

This is the first large study to explore whether statins reduce [cardiovascular complications](#) in patients who have radiation therapy for chest, head or [neck cancer](#).

More than half of [cancer patients](#) are treated with radiation therapy, which uses high doses of radiation to kill [cancer cells](#) and shrink tumors. While radiation treatment has become more precise and long-term survival rates have improved, the radiation can affect nearby healthy cells and cause side effects many years later.

Radiation therapy side effects include scarring or thickening of arteries, and over time that can lead to blockages that cause heart attack and stroke. In fact, the authors point out that cardiovascular disease is the leading cause of illness and death among cancer survivors.

The newly published study looked at whether statin medication, which reduces the formation of plaques that block blood vessels, might lower the risk of cardiovascular and [cerebrovascular disease](#) after radiation therapy to the chest, neck or head. The researchers found that the use of statins was associated with a 32% reduction in stroke.

There was also a strong trend toward reduction in overall cardiovascular events, such as heart attacks and stroke, and death due to those cardiovascular events, although the authors said the 15% reduction they found was not statistically significant due to the high-risk population of patients in the study.

"Statins decrease cholesterol levels and have anti-inflammatory properties. Multiple studies have revealed the beneficial effects of statin therapy on reducing the risks of vascular disease in a variety of

populations," said study author Negar Mousavi, M.D., M.H.Sc., at McGill University Health Center in Montreal, Canada. "Statins are protective in patients with heart disease, previous strokes and with high cholesterol levels."

For the study, the researchers studied data from 5,718 [heart attack](#) and stroke patients over age 65 (with a mean age of 75) at McGill University Health Centre in Montreal, Canada, who had undergone radiation therapy for chest, head or neck cancer from 2000 to 2011. The majority—4,166 patients—were taking statins. Most of the people in the study had underlying [cardiovascular disease](#).

"Our study demonstrated that statin therapy could be favorable even with the competing risks of cancer and cancer-related mortality in patients who received radiation therapy," said Mousavi who added, "No other agent is recommended with enough evidence to reduce the risk of vascular events among cancer patients receiving radiation to the head, neck or chest."

However, the authors point out that there is a need for prospective studies to explore the role of statins after [radiation therapy](#) in wider populations and to establish definitive guidelines on the management of radiation-induced vascular disease.

More information: Jacinthe Boulet et al, Statin Use and Risk of Vascular Events Among Cancer Patients After Radiotherapy to the Thorax, Head, and Neck, *Journal of the American Heart Association* (2019). [DOI: 10.1161/JAHA.117.005996](https://doi.org/10.1161/JAHA.117.005996)

Provided by American Heart Association

Citation: Statin therapy reduced the risk of stroke and possibly other complications in cancer patients following radiation (2019, June 19) retrieved 3 May 2024 from <https://medicalxpress.com/news/2019-06-statin-therapy-possibly-complications-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.