

Researchers study new treatment for pancreatic cancer

June 14 2019



According to the American Cancer Society, about 45,000 Americans will have died from pancreatic cancer by year's end. That's more than the number projected to die from breast cancer. Researchers in the WVU School of Medicine are exploring new ways to improve the survival rates--and the quality of life--of pancreatic cancer patients. A new drug combination they studied, called FOLFIRINOX, was associated with longer overall survival and better surgical options in a recent meta-analysis. Credit: WVU

If the American Cancer Society's projections prove accurate, more people will die from pancreatic cancer than from breast, brain, ovarian or prostate cancer this year.

One reason pancreatic [cancer](#) is so lethal is its resistance to traditional chemotherapy. But West Virginia University surgical oncologist Brian Boone is exploring whether FOLFIRINOX—a new combination of cancer drugs—can improve outcomes in [patients](#) whose pancreatic cancer is "borderline resectable," meaning that a tumor may be too close to a blood vessel to be removed safely.

"The way pancreatic tumors sit, they're very close to several important blood vessels that you really can't live without. That's where chemotherapy comes into play," said Boone, an assistant professor in the School of Medicine's Department of Surgery. "We try to shrink the tumor off of the vein and change it from borderline resectable to resectable, or removable by surgery."

In a recent meta-analysis of 24 studies, Boone and a team of researchers considered 313 cases of borderline resectable pancreatic cancer that physicians treated with FOLFIRINOX. They analyzed the patients' overall [survival rates](#). They also evaluated how frequently tumors shrank enough to be surgically removed. The team found that FOLFIRINOX prolonged patients' lives, on average, and made surgery possible in more instances. Their findings appear in the *Journal of the National Cancer Institute*.

"There's no [control group](#), but when you compare it to what we've historically seen in patients that are borderline resectable and that we take straight to surgery, FOLFIRINOX resulted in better survival and better rates of resection," Boone said.

More than two-thirds—or 67.8 percent—of the cancers included in the

study responded well enough to FOLFIRINOX that they could be completely removed surgically. "Historically, complete removal of the tumor is accomplished in a far lower number of patients without treatment before surgery and often requires removal of a portion of the vein," he said.

On average, patients who took FOLFIRINOX survived for 22.2 months overall. Without the drug, patients with borderline resectable cancer tend to survive for about 12 months, based on Boone's [clinical experience](#).

"There's really been a paradigm shift for pancreatic cancer, now that we have better drugs," he said.

Despite these improvements in treatment, pancreatic cancer is currently the fourth deadliest, and "it's climbing the ladder in terms of the number of people it kills," said Carl Schmidt, chief of the Surgical Oncology Division. "In my 10 years of being in practice, there's been more interest in pancreatic cancer, but moving the needle is really hard."

To that end, Boone, Schmidt and their colleagues are pursuing studies that span the laboratories where scientists conduct basic-science experiments, the infusion rooms where patients receive treatment and the operating rooms where oncologists perform [surgery](#).

"We're developing a full spectrum of [pancreatic cancer](#) research. That's why we do the basic science: we're identifying patients at the bedside and trying to find solutions in the lab," Boone said. "And it's all driven by trying to make outcomes better for patients that we take care of every day."

More information: Quisette P Janssen et al, Neoadjuvant FOLFIRINOX in patients with borderline resectable pancreatic cancer: a systematic review and patient-level meta-analysis, *JNCI: Journal of the*

National Cancer Institute (2019). [DOI: 10.1093/jnci/djz073](https://doi.org/10.1093/jnci/djz073)

Provided by West Virginia University

Citation: Researchers study new treatment for pancreatic cancer (2019, June 14) retrieved 23 April 2024 from <https://medicalxpress.com/news/2019-06-treatment-pancreatic-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.