

HIV in Kenya: High risk groups aren't getting the attention they need

July 19 2019, by Makobu Kimani



Women walk past a mural painted to raise awareness on HIV and AIDS in Kibera slum in Nairobi, Kenya. Credit: EPA/Dai Kurokawa

Efforts to manage the HIV epidemic in much of sub-Saharan Africa need to specifically target sections of the population that are most

vulnerable to HIV infection. Two such [key populations](#) include men who have sex with men and transgender women. But [in many countries](#) on the continent same sex relationships—and transgender identities—are criminalised.

Kenya is one such country where the culture is conservative and homosexuality is generally a taboo subject. Gay people who are open about their sexuality are subjected to significant stigma and discrimination. This legal status, coupled with [social stigma](#), makes it difficult for at-risk populations to seek preventive services in public health care facilities. In Kenya, key populations, including men who have sex with men and [transgender women](#), contribute [a third of new HIV infections](#).

In 2017, the Kenyan ministry of health launched a program to provide Pre-exposure prophylaxis (PrEP) to people at increased risk of HIV infection. PrEP is the use of anti-retroviral medication in HIV negative people as prevention against HIV. The aim of the program is to make PrEP available at public health facilities. But this model may have shortcomings as men who have sex with men and transgender people [may not feel comfortable](#) in public health settings. Additionally, [health care providers](#) may not be prepared to provide services to key populations.

Health care providers refer to the [national guidelines](#) to determine who needs PrEP. But the guidelines don't address anal sex. This is a major omission given that it carries the highest risk for HIV acquisition. And the guidelines assume that sexual behavior is the same for all men who have sex with men. But, some may exclusively have sex with men, while others may also have sex with [women](#). This difference in sexual behavior has been shown to affect [the risk of HIV acquisition](#).

We conducted a [study](#) to estimate HIV incidence among men who have

sex with men exclusively, men who have sex with men and women as well as transgender women. We also wanted to assess how much interest there was in PrEP and what barriers there were to people accessing them.

Our research adds to existing knowledge about how behavioral differences can affect the risk of HIV acquisition. Our findings support the need to revise guidelines to better target PrEP at those that would most benefit for it.

The research

As part of the research we followed a cohort of men who have sex with men between 2016 and 2017 in Malindi on the coast of Kenya. We collected social demographic, sexual orientation and gender identity data that allowed us to classify participants as being either men who have sex with men and women or men who have sex with men exclusively or transgender women. We also explored participants' knowledge and desire to take up PrEP.

Additionally, we assessed the factors associated with HIV acquisition. Finally, we held focus group discussions with HIV negative participants that were segregated by sexual orientation and gender identity.

Overall, the risk for HIV acquisition in this cohort over a one year period was 5 percent. But in transgender women this risk was extremely high at 20 percent. HIV acquisition was associated with a number of factors including exclusive receptive anal intercourse and history of a sexually transmitted infection.

A majority (98.8 percent) of the participants were interested in initiating PrEP. Transgender women expressed concern that actual PrEP provision may cause them to engage in condomless anal or group sex more

frequently.

These results show a number of significant patterns. These include confirmation of a much higher risk of HIV acquisition in transgender women than in men who have sex with men.

Globally, [studies](#) have shown that transgender women have the highest risk of HIV acquisition. They also bear a disproportionate burden of HIV prevalence. The existence of transgender women has been generally ignored in most of sub-Saharan Africa. Transgender women are not a recognised key population in Kenya and may have previously been classified incorrectly as men who have sex with men exclusively.

Way forward

Our findings confirm that transgender women would benefit most from PrEP. But legal barriers and stigma mean that they are invisible and under-served in Kenya.

We believe that our findings could be used to inform [policy makers](#) on the need to revise national guidelines to better target the intended recipients of the PrEP program in Kenya. We hope to raise awareness on the need to recognize the existence of [transgender](#) women and the need for their inclusion in HIV prevention activities in Kenya.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: HIV in Kenya: High risk groups aren't getting the attention they need (2019, July 19) retrieved 20 April 2024 from

<https://medicalxpress.com/news/2019-07-hiv-kenya-high-groups-attention.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.