


One or the other: Why strength training might come at the expense of endurance muscles

July 25 2019



The neuromuscular junction (NMJ): innervation of the acetylcholine receptors (green) on the muscle fiber by the motor neuron (red). Credit: University of Basel, Biozentrum

The neurotransmitter brain-derived neurotrophic factor (BDNF) acts in the muscle, so that during strength training endurance muscle fiber number is decreased. Researchers at the University of Basel's Biozentrum have more closely investigated this factor, from the group of

myokines, and demonstrated that it is produced by the muscle and acts on both muscles and synapses. The results published in *PNAS* also provide new insights into age-related muscle atrophy.

Fitness clubs are booming: New gyms are springing up like mushrooms. More and more people are striving to build up and strengthen their muscles. But what exactly happens in the [muscle](#) during training? In their recent work, Prof. Christoph Handschin's research group at the Biozentrum, University of Basel, has more closely studied strength muscles and the myokine brain-derived [neurotrophic factor](#) (BDNF), which plays an important role in the formation of strength muscle fibers.

Handschin's team has demonstrated that this factor is produced by the muscle itself and remodels the neuromuscular synapses, the neuronal junctions between the motor neurons and muscle. BDNF not only causes the strength muscles to develop, but at the same time leads to endurance muscle fiber number decline.

BDNF acts on muscles and synapses

Generally, it is differentiated between two types of muscle, depending on the type of fibers they are made of: There are the slow-twitch fibers for endurance muscles, which are formed mainly during endurance sports. Marathon runners primarily exercise this type of muscle. A great deal less well studied is the second form of muscle consisting of fast-twitch fibers. These strength muscles gain in volume during [strength training](#) and provide substantial muscular power.

Christoph Handschin's team has now studied the hormone-like neurotransmitter from the myokine family in the mouse model. Myokines are released by the muscle during contraction. "It is interesting that BDNF is produced by the muscle itself and not only exerts an influence on the muscle. At the same time, it affects the neuromuscular

synapses, which are the junctions between the motor neurons and muscle," explains Handschin.

BDNF converts endurance muscles into strength muscles

This remodeling of the neuromuscular synapses during strength training results in the body developing more strength muscle fibers. "However, strength muscle growth occurs at the expense of the endurance fibers. More precisely, through the release of BDNF, the endurance muscles are transformed into strength muscles," clarifies Handschin. This makes BDNF a factor proven to be produced by the muscle itself and to influence the type of muscle fibers formed.

Relevance to muscle training and age-related muscle atrophy

The new knowledge gained about the myokine BDNF also provides a possible explanation for the decrease in endurance musculature seen as a result of strength training. This correlation is already being taken into account in the [training](#) plan for high performance sports. Particularly in sporting disciplines such as rowing, which are geared towards strength and [endurance](#), the muscle remodeling must be considered.

Moreover, in a follow-up study, the research group showed that in muscle lacking BDNF the age-related decline in muscle mass and function is reduced. "We didn't expect this result," says Handschin. "It also makes the findings interesting for treatment approaches for muscle atrophy in the elderly."

More information: Julien Delezie et al, BDNF is a mediator of glycolytic fiber-type specification in mouse skeletal muscle, *Proceedings*

of the National Academy of Sciences (2019). [DOI: 10.1073/pnas.1900544116](https://doi.org/10.1073/pnas.1900544116)

Provided by University of Basel

Citation: One or the other: Why strength training might come at the expense of endurance muscles (2019, July 25) retrieved 1 May 2024 from <https://medicalxpress.com/news/2019-07-strength-expense-muscles.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--