

Cancer survivors in high-deductible health plans more likely to have delayed care

August 9 2019



Credit: CC0 Public Domain

A new study from American Cancer Society investigators finds cancer survivors in high-deductible health plans were more likely to report delaying or foregoing care. The study appears in the *Journal of Oncology*

Practice. The lead author of the study is Zhiyuan "Jason" Zheng, Ph.D., principal scientist, health services research at the American Cancer Society.

The researchers explored how high-deductible health plan (HDHP) enrollment and health savings account (HSA) status affect [cancer](#) survivorship, access to care and health care utilization. They have concluded that HDHP enrollment without an HSA is associated with worse access to care in privately insured cancer survivors and individuals without a cancer history. HSA enrollment coupled with an HDHP may mitigate this effect. Associations did not vary by cancer history. Emergency department (ED) visits didn't vary significantly by insurance type in cancer survivors.

The 2010 to 2017 National Health Interview Survey was used to identify a nationally representative sample of privately insured adults ages 18 to 64 years (cancer survivors, n = 4,321; individuals without a cancer history, n = 95,316). The sample was categorized into six groups: three groups of cancer survivors enrolled in low-deductible health plans (LDHPs), HDHPs with HSA, and HDHPs without HSA; and three groups of adults without a cancer history enrolled in LDHPs, HDHPs with HSA, and HDHPs without HSA. Separate multivariable logistic regressions were conducted to assess the association between HDHP enrollment with or without HSA status and delayed/forgone care because of cost and ED visits.

Findings

There were no differential impacts of HDHP enrollment and HSA status on access to care and ED visits by cancer history. However, we found that, even when covered by private insurance, cancer survivors enrolled in an HDHP with or without an HSA (8.9 percent and 13.9 percent, respectively; both P

Moreover, only one third of HDHP enrollees, regardless of cancer history, had an HSA, which was associated with less delayed/forgone care. For ED visits, cancer survivors reported similar percentages (approximately 20 percent) of visits regardless of HDHP enrollment and HSA status.

Bias, Confounding Factors:

The findings that HSA enrollment appears to mitigate problems with access to care among those with HDHPs could be confounded by greater financial capability among those who are eligible for and enroll in an HSA (e.g., financial literacy, knowledge of financial options, and assets) than those who are eligible but without an HSA. We did not have information about the reasons for enrollment in an HDHP (e.g., because of lower premiums or employers' limited plan choices).

Real-Life Implications

Health plan benefit managers, payers, and policymakers should identify reasons for low HSA participation rates, provide more education about the benefits of different health plan options to help patients understand the implications of health plans and HSAs, and develop tools to forecast medical expenses and facilitate HSA enrollment.

More information: Zhiyuan Zheng et al, High-Deductible Health Plans and Cancer Survivorship: What Is the Association With Access to Care and Hospital Emergency Department Use?, *Journal of Oncology Practice* (2019). [DOI: 10.1200/JOP.18.00699](https://doi.org/10.1200/JOP.18.00699)

Provided by American Cancer Society

Citation: Cancer survivors in high-deductible health plans more likely to have delayed care (2019, August 9) retrieved 18 April 2024 from <https://medicalxpress.com/news/2019-08-cancer-survivors-high-deductible-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.