

Damaged hearts rewired with nanotube fibers

August 13 2019



Rice University Professor Matteo Pasquali, left, and Dr. Mehdi Razavi of the Texas Heart Institute check a thread of carbon nanotube fiber invented in Pasquali's Rice lab. They are collaborating on a method to use the fibers as electrical bridges to restore conductivity to damaged hearts. Credit: Texas Heart Institute

Thin, flexible fibers made of carbon nanotubes have now proven able to bridge damaged heart tissues and deliver the electrical signals needed to



keep those hearts beating.

Scientists at Texas Heart Institute (THI) report they have used those biocompatible fibers in studies that showed sewing them directly into damaged tissue can restore electrical function to hearts.

"Instead of shocking and defibrillating, we are actually correcting diseased conduction of the largest major pumping chamber of the <u>heart</u> by creating a bridge to bypass and conduct over a scarred area of a damaged heart," said Dr. Mehdi Razavi, a cardiologist and director of Electrophysiology Clinical Research and Innovations at THI, who co-led the study with Rice chemical and biomolecular engineer Matteo Pasquali.

"Today there is no technology that treats the underlying cause of the No. 1 cause of sudden death, ventricular arrhythmias," Razavi said. "These arrhythmias are caused by the disorganized firing of impulses from the heart's lower chambers and are challenging to treat in patients after a heart attack or with scarred heart tissue due to such other conditions as congestive heart failure or dilated cardiomyopathy."





Credit: Texas Heart Institute

Results of the studies on preclinical models appear as an open-access Editor's Pick in the American Heart Association's *Circulation: Arrhythmia and Electrophysiology*. The association helped fund the research with a 2015 grant.

The research springs from the pioneering 2013 invention by Pasquali's lab of a method to make <u>conductive fibers</u> out of carbon nanotubes. The lab's first threadlike fibers were a quarter of the width of a human hair, but contained tens of millions of microscopic nanotubes. The fibers are also being studied for electrical interfaces with the brain, for use in cochlear implants, as flexible antennas and for automotive and aerospace applications.

The experiments showed the nontoxic, polymer-coated fibers, with their



ends stripped to serve as electrodes, were effective in restoring function during monthlong tests in large <u>preclinical models</u> as well as rodents, whether the initial conduction was slowed, severed or blocked, according to the researchers. The fibers served their purpose with or without the presence of a pacemaker, they found.

In the rodents, they wrote, conduction disappeared when the fibers were removed.



Credit: Texas Heart Institute





Credit: Texas Heart Institute

"The reestablishment of cardiac conduction with <u>carbon nanotube</u> fibers has the potential to revolutionize therapy for cardiac electrical disturbances, one of the most common causes of death in the United States," said co-lead author Mark McCauley, who carried out many of the experiments as a postdoctoral fellow at THI. He is now an assistant



professor of clinical medicine at the University of Illinois College of Medicine.

"Our experiments provided the first scientific support for using a synthetic material-based treatment rather than a drug to treat the leading cause of sudden death in the U.S. and many developing countries around the world," Razavi said.

Many questions remain before the procedure can move toward human testing, Pasquali said. The researchers must establish a way to sew the fibers in place using a minimally invasive catheter, and make sure the fibers are strong and flexible enough to serve a constantly beating heart over the long term. He said they must also determine how long and wide fibers should be, precisely how much electricity they need to carry and how they would perform in the growing hearts of young patients.

"Flexibility is important because the heart is continuously pulsating and moving, so anything that's attached to the heart's surface is going to be deformed and flexed," said Pasquali, who has appointments at Rice's Brown School of Engineering and Wiess School of Natural Sciences.



In Vivo Restoration of Myocardial Conduction with Carbon Nanotube Fibers



This is the first report of *in vivo* reconstitution of native and paced electrical impulses by a synthetic material in the heart.

Credit: Texas Heart Institute

"Good interfacial contact is also critical to pick up and deliver the electrical signal," he said. "In the past, multiple materials had to be combined to attain both electrical conductivity and effective contacts. These fibers have both properties built in by design, which greatly simplifies device construction and lowers risks of long-term failure due to delamination of multiple layers or coatings."

Razavi noted that while there are many effective antiarrhythmic drugs available, they are often contraindicated in patients after a heart attack. "What is really needed therapeutically is to increase conduction," he said. "Carbon nanotube fibers have the conductive properties of metal but are flexible enough to allow us to navigate and deliver energy to a very specific area of a delicate, damaged heart."



More information: Mark D. McCauley et al. In Vivo Restoration of Myocardial Conduction With Carbon Nanotube Fibers, *Circulation: Arrhythmia and Electrophysiology* (2019). DOI: 10.1161/CIRCEP.119.007256

Provided by Rice University

Citation: Damaged hearts rewired with nanotube fibers (2019, August 13) retrieved 28 April 2024 from <u>https://medicalxpress.com/news/2019-08-hearts-rewired-nanotube-fibers.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.