

Nerve stimulation and repetitive sounds help improve hearing

August 14 2019



The Primary Auditory Cortex is highlighted in magenta, and has been known to interact with all areas highlighted on this neural map. Credit: Wikipedia.

Combining seizure-preventing electrical stimulation with repetitive musical tones improves processing of sounds in the brain, according to new research. The discovery may provide relief for chronic ringing in the ears (tinnitus) and aid communication skills in people with autism.



The first-of-its-kind study, published ahead of print in the *Journal of Neurophysiology (JNP)*, was chosen as an APS select article for August.

Nerve cells (neurons) in the brain are tuned to respond to specific tone frequencies—similar to higher and lower notes on a musical scale—that allow people to hear. Neurons tuned to higher tones aren't able to respond to lower tones and vice versa. "When someone has tinnitus, neurons respond in a hyperactive manner that causes perception of a sound that does not exist," wrote Crystal Engineer, Ph.D., corresponding author of the paper. "Restoring [normal] activity in the auditory pathway is the most promising approach to treating chronic tinnitus," she explained. People with autism often have auditory processing disorders, too. In this case, the brain is not able to make sense of what it hears. Improving neuroplasticity—the ability of the brain's neurons to adapt—may improve communication in people with autism.

Engineer's research team studied <u>adult rats</u> that underwent 20 days of <u>vagus nerve</u> stimulation paired with the delivery of a repeated tone. Vagus nerve stimulation—which delivers <u>electrical impulses</u> to the vagus nerve, which runs from the brain through the chest and abdomen—is approved by the U.S. Food and Drug Administration to treat epilepsy and depression. The tone broadcast into the animals' living quarters was roughly in the middle of the rats' hearing range. The researchers played the tone at a volume equal to conversational speech every 30 seconds for two and a half hours each day.

The vagus nerve stimulation and tone-pairing treatment increased the responsiveness in neurons that were tuned to frequencies near the <u>tone</u> used in the trial. This occurred in multiple areas across the auditory pathway. Paired treatment may offer hope for people with a variety of neurological conditions, including tinnitus and autism. "This method can change even the earliest levels of the auditory system, which [has] been viewed as the most difficult to change," said Michael Kilgard, Ph.D., a



study co-author. "New tools that can rewire the auditory pathway from top to bottom [have] the potential to provide a new therapeutic option for conditions with no <u>effective treatment</u>," Engineer added.

The full article, "Pairing vagus <u>nerve</u> stimulation with tones drives plasticity across the auditory pathway," is published ahead of print in the *Journal of Neurophysiology (JNP)*.

More information: Michael S. Borland et al. Pairing vagus nerve stimulation with tones drives plasticity across the auditory pathway, *Journal of Neurophysiology* (2019). DOI: 10.1152/jn.00832.2018

Provided by American Physiological Society

Citation: Nerve stimulation and repetitive sounds help improve hearing (2019, August 14) retrieved 26 April 2024 from <u>https://medicalxpress.com/news/2019-08-nerve-repetitive.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.