

Ultrasound guidance improves first-attempt IV success in IV access in children

August 5 2019



Alexandra M. Vinograd, MD, is an emergency medicine physician at Children's Hospital of Philadelphia Credit: Children's Hospital of Philadelphia

Children's veins are small and sometimes difficult to access during necessary medical treatment. When caregivers used ultrasound to guide placement of intravenous (IV) lines in children with presumed difficult access, they had higher success rates on their first attempt. Researchers



from <u>Children's Hospital of Philadelphia (CHOP)</u> report that this technique reduces the number of needle sticks in their young patients.

The research was published in the July 2019 issue of *Annals of Emergency Medicine*.

"The need to place an intravenous line is a common but challenging requirement for pediatric healthcare providers," said Alexandra M. Vinograd, MD, an emergency medicine physician at CHOP and the lead investigator of this study. "Our research shows that both the children and their parents are happier with ultrasound-guided line insertion."

The researchers prospectively enrolled 167 patients identified as having difficult IV access that were randomized to receive either traditional IV line or care from a multidisciplinary team trained to place ultrasound-guided IV lines on the first attempt. The children were divided into two groups, age zero to three years old, and over age three.

First-attempt success was higher in the ultrasound-guided IV line placement group (85.4 percent) compared to the traditional intravenous line group (45.8 percent). When asked to score their satisfaction with the IV line placement, parents favored the ultrasonically guided placement over the traditional method.

"In our study, ultrasound-guided intravenous lines remained in place longer than traditional insertion, without an increase in complications," said Joseph J. Zorc, MD, emergency medicine physician at CHOP and senior author of the study. "These results may be used to update guidelines for intravenous line access in children in an effort to limit the number of needle sticks they experience."

Both nurses and physicians had high rates of first-attempt success. The high rate of nurse success led to a <u>training program</u> in CHOP's



Emergency Department that broadly trains nurses in ultrasound-guided IV line <u>placement</u>. Ultrasound-guided access is now standard procedure for patients with presumed difficult intravenous access," added Vinograd.

Provided by Children's Hospital of Philadelphia

Citation: Ultrasound guidance improves first-attempt IV success in IV access in children (2019, August 5) retrieved 7 May 2024 from https://medicalxpress.com/news/2019-08-ultrasound-guidance-first-attempt-iv-success.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.