

New insights into the healing capacity of the heart

September 25 2019



Credit: CC0 Public Domain

A group of researchers at Baylor College of Medicine, the Texas Heart Institute and the University of Texas Health Science Center at Houston reveals today in the journal *Genes & Development* new insights into the recently discovered healing capacity of the heart involving the Hippo cellular pathway. The group previously reported that inactivating the

Hippo pathway in the adult murine heart promoted cardiac muscle regeneration after injury, opening the possibility of developing promising heart failure therapies.

In this study, the researchers discovered that inactivating the Hippo [pathway](#) in [cardiac fibroblasts](#), non-[muscle](#) heart cells intertwined with cardiac muscle cells, promoted cardiac fibrosis and adversely effected cardiac function. These results highlight the need for targeting the Hippo pathway specifically in cardiac muscle cells, and not in cardiac fibroblasts, for safe and effective [heart failure](#) therapy.

"Heart failure remains the leading cause of mortality in the U.S., and one of the interests of my lab is to develop ways to heal heart muscle by studying cellular pathways involved in heart development and regeneration," said corresponding author Dr. James Martin, professor and Vivian L. Smith Chair in Regenerative Medicine at Baylor and director of the Cardiomyocyte Renewal Lab at the Texas Heart Institute.

During a heart attack, blood stops flowing into the heart; without oxygen, part of the heart muscle dies. The [heart muscle](#) does not regenerate; instead it replaces dead tissue with a scar, made from cells called fibroblasts. If there is too much scarring, the heart progressively weakens; a large proportion of people who had a severe heart attack will develop heart failure and scarring in the heart.

In previous studies, Martin and his colleagues discovered that inactivating the Hippo signaling pathway in adult murine hearts triggered cardiac muscle cell regeneration after [heart attack](#). These findings raised hope for the development of promising heart failure therapies involving the Hippo pathway.

In the current study, Martin and his colleagues further investigated the Hippo pathway in the adult murine heart, this time focusing on its role in

cardiac fibroblasts, non-muscle cells that are closely associated with cardiac muscle cells. The researchers conducted a number of basic studies, including single cell sequencing experiments that provided a high level of resolution to their analyses.

"We inactivated the Hippo pathway in resting adult hearts that did not have any injury and observed that the fibroblasts became activated; they proliferated and developed into myofibroblasts, a major cell type that appears in heart tissues after an injury," Martin said.

"Mouse hearts with a deficient Hippo pathway in cardiac fibroblasts spontaneously developed cardiac fibrosis, even without injury, which resulted in severe heart dysfunction," said co-first author Dr. Yang Xiao, who was a postdoctoral fellow in the Martin lab during this project.

"This and other evidence indicated that the Hippo pathway is required to restrain cardiac fibrosis; Hippo is important for maintaining the fibroblasts in their resting state."

In addition, the researchers found that inactivating the Hippo pathway also triggered a molecular cascade resulting in an inflammatory response that was mediated by Yap, a molecule that regulates a number of molecular pathways.

"We know that Hippo and Yap work together. Hippo acts like a brake for Yap, so when we took away Hippo, Yap remained active and regulated the expression of important signaling molecules that 'talk' to macrophages and other immune [cells](#) luring them into the heart," Martin said.

The researchers believe they have identified important insights into [heart](#) function. Their findings inform about the genetic pathways that are important for maintaining the fibroblasts in their resting state.

More information: *Genes & Development* (2019). [DOI: 10.1101/gad.329763.119](https://doi.org/10.1101/gad.329763.119)

Provided by Baylor College of Medicine

Citation: New insights into the healing capacity of the heart (2019, September 25) retrieved 26 April 2024 from <https://medicalxpress.com/news/2019-09-insights-capacity-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.