


# **Suicide rates climbing, especially in rural America**

September 6 2019

---



These maps show the increasing rates of suicide and the concentration of

suicides in rural counties over time. Credit: Ohio State University

Suicide is becoming more common in America, an increase most pronounced in rural areas, new research has found.

The study, which appears online today (Sept. 6, 2019) in the journal *JAMA Network Open*, also highlights a cluster of factors, including lack of insurance and the prevalence of gun shops, that are associated with high [suicide rates](#).

Researchers at The Ohio State University evaluated national [suicide](#) data from 1999 to 2016, and provided a county-by-county national picture of the suicide toll among adults. Suicide rates jumped 41 percent, from a median of 15 per 100,000 county residents in the first part of the study to 21.2 per 100,000 in the last three years of the analysis.

Suicide rates were highest in less-populous counties and in areas where people have lower incomes and fewer resources. From 2014 through 2016, suicide rates were 17.6 per 100,000 in large metropolitan counties compared with 22 per 100,000 in rural counties.

In urban areas, counties with more gun shops tended to have higher suicide rates. Counties with the highest suicide rates were mostly in Western states, including Colorado, New Mexico, Utah and Wyoming; in Appalachian states including Kentucky, Virginia and West Virginia; and in the Ozarks, including Arkansas and Missouri.

"While our findings are disheartening, we're hopeful that they will help guide efforts to support Americans who are struggling, especially in rural areas where suicide has increased the most and the fastest," said lead researcher Danielle Steelesmith, a postdoctoral fellow at Ohio State's

Wexner Medical Center.

"Suicide is so complex, and many factors contribute, but this research helps us understand the toll and some of the potential contributing influences based on geography, and that could drive better efforts to prevent these deaths."

Suicide rates are trending higher despite a national prevention effort that kicked off in 2015 with the goal of reducing suicide rates 20 percent by 2025. Another recent analysis found that suicide rates in almost 90 percent of U.S. counties increased more than 20 percent from 2005 to 2015.

The new study included 453,577 suicides by adults 25 to 64 years old from 1996 to 2016. Suicides were most common among men and those 45 to 54 years old.

Suicide prevention can be bolstered with this new information about trends and patterns of suicide, said Cynthia Fontanella, a study co-author and associate professor of psychiatry and behavioral health at Ohio State.

"For example, all communities might benefit from strategies that enhance coping and problem-solving skills, strengthen economic support and identify and support those who are at risk for suicide," Fontanella said.

"The data showing that suicides were higher in counties with more gun shops—specifically in [urban areas](#)—highlights the potential to reduce access to methods of suicide that can increase the chances an at-risk person will die."

Another factor related to increased suicide rates, particularly in rural

areas, was "deprivation," a cluster of factors including underemployment, poverty and low educational attainment.

Long-term and persistent poverty may be more entrenched and the economic opportunities for individuals more limited in [rural areas](#), Steelesmith said, adding that many rural Americans rely on jobs in agriculture and industries including coal mining.

"In cities, you have a core of services that are much easier to get to in many cases. You may have better access to job assistance, food banks and nonprofits that might all contribute to less desperation among residents," Steelesmith said.

High social fragmentation—which factors in levels of single-person households, unmarried residents and the impermanence of residents—was associated with higher suicide rates, as was low social capital, a measure of the interconnectedness of people in an area. Both of these were particularly pronounced in rural America.

Other factors associated with higher suicide rates included high percentages of veterans in a county and lower rates of insurance coverage.

Fontanella said that people who live in rural America might particularly benefit from strategies to promote social connections through community engagement activities that offer opportunities for residents to interact and to become familiar with supportive resources in their area.

Steelesmith said it's important to note that county-by-county geographical information on suicide doesn't tell the whole story. Some states, particularly in the West, have large counties with great variability in terms of resident life experiences, for instance. This work also

excludes data on suicides by young and elderly Americans.

**More information:** *JAMA Network Open* (2019). [DOI: 10.1001/jamanetworkopen.2019.10936](https://doi.org/10.1001/jamanetworkopen.2019.10936)

Provided by The Ohio State University

Citation: Suicide rates climbing, especially in rural America (2019, September 6) retrieved 25 April 2024 from <https://medicalxpress.com/news/2019-09-suicide-climbing-rural-america.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.