

Retina changes offer glimpse into body's heart health

October 30 2019



Photo: Huntstock/Photodisc, Getty Images

Rising blood pressure and stiffening arteries—two risk markers for

cardiovascular disease—create easily detectable changes in the tiny blood vessels at the back of the eye, according to new research.

It's the largest study to examine the relationship between microvascular changes in the eye and the macrovascular risk factors that lead to [heart disease](#). Published Wednesday in the American Heart Association's *Hypertension*, the study raises the question of whether measuring changes to the vessels in the eye could serve as a tool for predicting greater risk of heart disease and cardiovascular events.

"When [blood pressure](#) and arterial stiffness levels go up, this translates into a change in the small vessels at the back of the eye," said Alicja Rudnicka, a professor at the Population Health Research Institute, St. George's University of London, and lead author on the study. "These microvessels get narrower and more wiggly, or tortuous."

While these changes don't signal vision problems, Rudnicka said, "if what's happening in the rest of the body is reflected in what's happening at the back of the eye, what we see there could be a flag taking retinal morphology assessment from being just a research tool to incorporating it into clinical practice."

Previous studies have shown a relationship between the narrowing of retinal arteries and hypertension, along with a higher risk of cardiovascular events such as heart attacks, strokes or death. And some smaller studies have suggested a link between changes in retina vessels and higher [blood](#) pressure. But none have included such a large number of participants or used such a large number of consistently measured [vessel](#) segments, Rudnicka said.

She and her team analyzed images of retinal blood vessels for nearly 55,000 middle aged and older people in the UK Biobank data set, using a fully automated image analysis program that takes thousands of

measurements of blood vessel diameter and tortuosity from digital retinal images. Using this system, they were able to examine 3.5 million blood vessel segments, she said.

They found that greater arterial tortuosity—curvature in the retinal arteries—was associated with higher systolic blood pressure, which is the amount of pressure in the arteries when the heart muscle contracts; higher average pressure in the arteries with each heartbeat; and higher pulse pressure. They also found that narrower retinal blood vessels were associated with higher mean arterial pressure and stiffness of the walls of the arteries supplying the heart.

The team is currently exploring whether what they measured 10 years ago predict which patients go on to develop heart disease.

"What we have now is one piece of the puzzle. It's a starter puzzle piece, and we need more to move forward," Rudnicka said. "If we can link the retinal vessel measurements of the past to what happens to these people years later, this will tell us whether these vessel changes came before cardiovascular disease and go on to predict those who go on to have a cardiovascular event."

Other studies have associated childhood obesity, high blood pressure and physical inactivity to abnormalities in eye vessels, suggesting that narrowing eye vessels are a biomarker for cardiovascular risk factors in children, said Dr. Henner Hanssen, lead author on a meta-analysis on this topic that included more than 18,000 children and adolescents.

"Microcirculation is a so-called window to the heart," said Hanssen, a professor of Preventive Sports Medicine and Systems Physiology at the University of Basel, Switzerland. "The vessels in the eye reflect what is going on in other organs, specifically the heart."

"The data that we have is very clear that at a very early age, in children 6 to 8 years old who are otherwise healthy, you can already see vascular alterations due to blood pressure levels that are on the high end of normal and only being overweight," he said.

"We don't know if this predicts worse outcomes when they become adults, but we have seen similar alterations in adults that are predictive of cardiovascular mortality and morbidity."

If Rudnicka's large, prospective study also confirms a link between retinal changes and [heart disease](#) and death, she said, it could provide health professionals with a quick, noninvasive alternative for determining a patient's CVD risk.

"This digital picture could potentially tell us very quickly," she said, "whether you are on the road to [cardiovascular disease](#)."

[American Heart Association News](#) covers heart and brain health. Not all views expressed in this story reflect the official position of the American Heart Association. Copyright is owned or held by the American Heart Association, Inc., and all rights are reserved. If you have questions or comments about this story, please email editor@heart.org.

Citation: Retina changes offer glimpse into body's heart health (2019, October 30) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-10-retina-glimpse-body-heart-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.