


Living in poor communities, dying from heart disease

December 4 2019, by Mike Iorfino



Credit: CC0 Public Domain

Communities in the United States that experienced the most economic

distress in the wake of the Great Recession saw a significant increase in death rates from heart disease and strokes among middle-aged people, according to a new multi-institution study led by researchers at Penn Medicine. While the death rates remained nearly unchanged in counties with the least economic distress (62.6 deaths per 100,000 residents in 2010; 61.5 in 2015), areas experiencing worsening economic trends—such as high unemployment, lower median incomes and lack of affordable housing—saw a sharp increase, from 122 deaths per 100,000 residents in 2010 to 127.6 deaths in 2015.

Authors say the findings, which will be presented on Monday, Nov. 18, at the [American Heart Association's 2019 Scientific Sessions](#) in Philadelphia, underscore how economic disparities contribute directly to health disparities.

"Our study shows that large economic trends—whether it's a significant reduction in employment or a recession—have a real impact on communities and on the cardiovascular health of people living in those communities," said the study's lead author Sameed Khatana, MD, a Cardiovascular Medicine fellow at Penn Medicine. "It's important that policymakers, physicians and even patients are aware of this increase in mortality rates. Interventions, such as policies like a health insurance expansion, may help slow this trend or even reverse it."

After more than 50 years of steep declines, cardiovascular death rates in the United States have been nearly stagnant since 2011—with rates even rising in some groups of middle-aged adults, according to data from the Centers for Disease Control and Prevention (CDC). Although it's known that the United States has experienced an uneven recovery following the Great Recession, it hasn't been clear whether [economic factors](#) contribute to the varying—and, in some cases, heightened—[heart disease death rates](#) in communities nationwide.

The team, which includes researchers from Beth Israel Deaconess Medical Center and Harvard T.H. Chan School of Public Health, examined county-level cardiovascular [mortality rates](#), spanning 2010 to 2015, for adults aged 25 to 64. They also pulled county-level values for the Distressed Communities Index, which combines seven markers of economic activity, such as income, access to housing, and educational attainment. In order to identify links between cardiovascular mortality and economic distress, the team then developed a linear regression model that included a variety of factors, such as county-level health insurance coverage, the prevalence of obesity and diabetes and density of primary care providers.

They found counties with the highest Distressed Communities Index rating at baseline also had the highest baseline cardiovascular mortality and saw largest increases in deaths from 2010 to 2015. Additionally, the counties that had worsening economic distress experienced a significantly greater increase in heart disease deaths compared to counties with the lowest ratings, independent of baseline [economic distress](#).

"We found that it's not a uniform increase—communities experiencing the most economic difficulties are the ones that are hardest-hit by heart disease deaths," Khatana said.

Provided by University of Pennsylvania

Citation: Living in poor communities, dying from heart disease (2019, December 4) retrieved 2 May 2024 from <https://medicalxpress.com/news/2019-12-poor-dying-heart-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.