

Pregnancy-related heart failure tied to higher cancer risk

December 18 2019



(HealthDay)—Patients with peripartum cardiomyopathy (PPCM) are



more likely to have cancer before PPCM diagnosis and more likely to develop cancer after PPCM, according to a study published in the December issue of the *JACC: CardioOncology*.

Tobias J. Pfeffer, M.D., from Hannover Medical School in Germany, and colleagues evaluated records for clinical history and cancer history among 236 PPCM patients from Germany and Sweden. Among 14 PPCM patients with a history of cancer and six PPCM patients without a history of cancer, the authors conducted exome sequencing to assess variants in 133 genes associated with cancer predisposition syndromes (CPS) and in 115 genes associated with dilated/hypertrophic cardiomyopathy (DCM/HCM).

The researchers found that the prevalence of cancer was 16-fold higher (21 of 236 patients) in PPCM patients versus age-matched women. Twelve of 21 patients had cancer before PPCM, 11 of whom obtained cardiotoxic cancer therapies. Cardiac function was fully recovered in 17 percent of these patients by seven months of follow-up versus in 55 percent of PPCM patients without cancer. In 10 of 21 patients, cancer occurred after PPCM, with 80 percent having left ventricular ejection fraction of ≥50 percent after cancer therapy. One patient developed cancers both before and after PPCM. Among PPCM patients with cancer undergoing sequencing, six of 14 patients carried likely pathogenic or pathogenic gene variants associated with DCM/HCM in CPT2, DSP, MYH7, TTN, and/or with CPS in ATM, ERCC5, NBN, RECQL4, and SLX4. All CPS variants affected DNA damage response genes.

These results "may warrant genetic testing and screening for heart failure in pregnant women with a cancer history and screening for cancer in PPCM patients," the authors write.

More information: Abstract/Full Text



Editorial

Copyright © 2019 HealthDay. All rights reserved.

Citation: Pregnancy-related heart failure tied to higher cancer risk (2019, December 18) retrieved 6 May 2024 from

https://medicalxpress.com/news/2019-12-pregnancy-related-heart-failure-tied-higher.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.