

## Gut bacteria may be one culprit for increase of colorectal cancer in younger people

January 22 2020

A bacteria typically linked to periodontal disease, *Fusobacterium nucleatum* (*F. nuc*), could play an important role in the rising incidence of colorectal cancer in people under the age of 45. Another type of bacteria, *Moraxella osloensis*, has been found in colorectal cancer tumors at a nearly four-fold higher rate in people over 75 than in those under 45 years of age, pointing out how differences in the bacteria that comprise what is known as the body's microbiome could affect cancer outcomes to varying degrees.

These are the preliminary findings of an ongoing study from researchers at Georgetown Lombardi Comprehensive Cancer Center that will be presented in a poster session at the American Society of Clinical Oncology Gastrointestinal Cancers Symposium in San Francisco from January 23-25, 2020.

Colorectal cancer incidence has been declining for several decades in people over 55, in part because of the increased use of screening for the disease, particularly with colonoscopy which can find and remove polyps before they become cancerous. Such screenings are generally not recommended for people under age 50.

But colorectal cancer rates have been increasing at nearly a 2% annual rate in people under age 55 since 2006. There are many theories about why, including a rise in obesity, diabetes, and diets low in whole grains among <u>younger people</u>.



"We haven't seen large genetic differences in colorectal tumors from younger versus older people, so we hypothesize that something else, perhaps the microbiome, is contributing to the rise in incidence of the disease in younger people," said Benjamin Adam Weinberg, MD, an assistant professor of medicine at Georgetown Lombardi.

Scientists have known that certain microbes that comprise the microbiome, which consists of different types of bacteria, fungi and viruses, can disturb the lining of the colon and promote tissue inflammation. This can result in mutations to the DNA of cells in the colon and lead to cancer. Researchers also know that *F. nuc* can promote cancerous growth by suppressing immune responses in the colon.

To better understand the role of the microbime in colorectal cancer, Weinberg and colleagues looked at the DNA and microbiome of archived tumors, as well as adjacent normal tissue when available, from 31 patients with colorectal cancer who were diagnosed before the age of 45 or after the age of 65.

Overall, the investigators found 478 unique bacterial and fungal species in the tumors. One of the most common bacteria found was *F. nuc*, which appeared in five of the younger patients' tumors and in three of the <u>older patients</u>' tumors. The researchers also found a <u>significant</u> <u>difference</u> in the rate of *Moraxella osloensis* (11% vs. 46%) in younger compared to older patients.

"There was a much higher presence of *F. nuc* in younger patients than we expected," said Dr. Weinberg. "As to whether this bacterium alone can explain some of the rise in incidence of colorectal <u>cancer</u> in younger people is something we need to explore, and to aid in that effort this ongoing study will incorporate tumors from up to a total of 144 people."

More information: Poster: L19 - Saturday, Jan. 25; 9am



Abstract: 241

A comparison study of the intratumoral microbiome in younger verses older-onset colorectal cancer (COSMO CRC).

## Provided by Georgetown University Medical Center

Citation: Gut bacteria may be one culprit for increase of colorectal cancer in younger people (2020, January 22) retrieved 12 September 2024 from <u>https://medicalxpress.com/news/2020-01-gut-bacteria-culprit-colorectal-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.