


Researcher discovers previously rejected function in the brain's blood vessels

January 21 2020



Close-up of precapillary sphincter (the strong red mark in the middle of the greenly marked blood flow) from two-photon microscope. According to the research results, these squeezing muscle cells are in the brain most often found at the early branches of blood vessels in the upper layers of the cerebral cortex. Credit: University of Copenhagen

Allegedly, they should not exist in the brain, the so-called precapillary sphincters—a kind of squeezing 'muscle clamp' between the larger and

smaller vessels of the bloodstream.

Nevertheless, Assistant Professor Søren Grubb from the Department of Neuroscience at the University of Copenhagen has indeed shown the sphincters in mice.

"In the early '10s, a Japanese review study concluded that there was no evidence that pre-capillary sphincters should exist in the heart, [brain](#) and muscular connective tissue," he says, and continues, "Since then, scientists have focused a lot on pericytes—[muscle cells](#) that can regulate resistance in the smallest [blood](#) vessels. At the same time, however, they have somehow missed a great resistance right between some arterioles and capillaries: The sphincters. Perhaps because the discovery of the pericytes has received more attention among all the blood vessels of the brain."

Functions as a water faucet or a sluice system

As blood flows through the brain, it flows from arteriole to vein through the capillaries. The latter are the smallest blood vessels in the body, but incredibly important. It is here that the blood and the brain exchange oxygen and nutrients.

Søren Grubb explains that the precapillary sphincters may be compared to a kind of thermostat that distributes the pressure between the branches of the blood vessels. A bit like a faucet adjusting the pressure between a [water pipe](#) and a garden hose.

As the muscle clamp relaxes, more blood cells will flow through its passage and the pressure in the following blood vessels will increase. When the clamp contracts, a bottleneck forms, which lowers the pressure further down the blood flow.

"In this way, it also works a bit like a sluice system to irrigate fields: You may have a roaring river, but by diverting water from the river and making sluices that can regulate the amount of water for each field, you can distribute the water to many areas, says Søren Grubb.

"Conversely, if the sluice shuts down or is clogged, the field will quickly dry out," he adds.

Potential for dementia and migraine

Based on that picture, Søren Grubb assumes that the pre-capillary sphincters may play a major role for disturbances of the brain's blood supply and blood pressure.

If the assumption holds true, the discovery of the clamping muscles in the brain will potentially affect the treatment of diseases such as migraine, Alzheimer's and vascular dementia—all associated with an accumulation of waste products that may stem from blood [vessel](#) defects.

Already, the research group Lauritzen Lab, of which Søren Grubb is part, has tested a model for migraine with aura. The model confirms the hypothesis, but the Assistant Professor emphasises that further research is still needed in connection with disorders:

"We have shown that the precapillary [sphincter](#) is found in the brain. The rest is still speculative. But perhaps more researchers will start working on it, now that they know that the sphincters are there."

More information: Søren Grubb et al, Precapillary sphincters maintain perfusion in the cerebral cortex, *Nature Communications* (2020). [DOI: 10.1038/s41467-020-14330-z](https://doi.org/10.1038/s41467-020-14330-z)

Provided by University of Copenhagen

Citation: Researcher discovers previously rejected function in the brain's blood vessels (2020, January 21) retrieved 19 April 2024 from <https://medicalxpress.com/news/2020-01-previously-function-brain-blood-vessels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.