

Africa is way behind the curve in managing heart disease: Here's a new approach

February 12 2020, by Martin Heine



Credit: AI-generated image ([disclaimer](#))

The burden of [noncommunicable diseases](#) in sub-Saharan African is growing because of factors such as demographic changes and increases in life expectancy. These [diseases](#) include heart attacks, stroke, cancer, respiratory diseases and diabetes.

Poor people are more vulnerable to noncommunicable diseases and generally develop them at [a younger age](#) than their peers from [high-income countries](#). Globally, more than half of the people with these diseases die before the age of [70](#). Over [80%](#) of those premature deaths occur in low-income countries.

Public [health](#) care in sub-Saharan Africa is largely unequipped to handle the strain caused by noncommunicable diseases. The burden is therefore likely to impede [poverty reduction](#) and hamper economic growth.

One of the [noncommunicable diseases](#) that make up the burden is heart [disease](#). This is a long-term medical condition and does not have to be fatal. About [7 million](#) patients in sub-Saharan Africa are affected by heart disease.

Ideally, patients with heart disease should be offered [cardiac rehabilitation](#). It is designed to help patients overcome physical inactivity, [mental health problems](#), poor diet and smoking. These are all risk factors for cardiovascular disease.

There is growing [evidence](#) that cardiac [rehabilitation](#) helps reduce disability, prevent readmission to hospital and improve physical fitness. As a result, it's offered as a standard part of care for many patients in developed countries.

The British Association for Cardiovascular Prevention and Rehabilitation [recommends](#) that certain "core components" form part of cardiac rehabilitation. These include health behavior change and education; lifestyle risk factor management; psychosocial health; medical risk management; and evaluation.

In a standard cardiac rehabilitation program, these components are delivered by a qualified multidisciplinary team, and led by a clinical

coordinator. Cardiac rehabilitation is tailored to each individual's goals and, if possible, delivered in a way that's convenient to the patient, for example partly at home.

Our study

We [looked](#) at the availability and characteristics of cardiac rehabilitation in sub-Saharan Africa. Our study shows that cardiac rehabilitation availability in Africa was one of the worst of all the world's regions.

We could find only 32 cardiac rehabilitation programs. They had some form of individual screening of risk factors, some form of exercise, and at least one of the other core components recommended by the British Association. These 32 programs could, on average, provide cardiac rehabilitation to 63 patients a year. Considering the burden of heart disease in sub-Saharan Africa, we estimated that 1.4 million more cardiac rehabilitation spots are needed annually.

What was particularly worrying was that three quarters of the programs were in South Africa and 82% were in urban settings. None were in the public health sector. We concluded that there is a high level of inequality in the availability of cardiac rehabilitation. This is especially true for patients who rely on public health care and those in rural settings. In South Africa, [87%](#) of the population is without medical insurance and reliant on [public health care](#).

The 1.4 million spots needed annually seem an insurmountable hurdle. So how do we move forward?

Way forward

As illustrated, Africa is far behind the curve in managing heart disease,

among others. This may contribute to African countries experiencing some of the highest levels of disability worldwide. People with disabilities are [at a disadvantage](#) in almost any sustainable development target, including food security, poverty and access to health care.

In light of this complex and high burden of disease, we propose to take the "cardiac" out of "cardiac rehabilitation" and find a way to care for patients who are at risk of a number of related conditions.

Many of the core components of cardiac rehabilitation (such as managing medical risk and supporting lifestyle changes) are equally relevant in reducing the impact of other medical conditions. An approach that centers on [patients](#) rather than diseases should be considered as a way forward. Let's call it "health optimization" therapy for now.

It could make better and more flexible use of resources and the health-care workforce. Community health workers could be involved. So could health professionals such as physiotherapists, by looking out for risk factors such as high blood pressure and obesity. The approach could take local challenges and cultural differences into account.

But [cardiac rehabilitation](#) or health optimization are not the holy grail in the primary prevention of disease. The biggest reduction in disease burden will come through progress in the other sustainable development goals such as ending poverty, improving food security, quality education, water and sanitation. So the way forward is a concerted interdisciplinary effort to prevent disease and reduce disease impact.

From a research perspective, the field of rehabilitation medicine can provide high-quality evidence to support "health optimization" programs. Ideally, this research should be done in close collaboration with patients and communities. It should also provide evidence on the health benefits

of interventions not directly related to health.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Africa is way behind the curve in managing heart disease: Here's a new approach (2020, February 12) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-02-africa-heart-disease-approach.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|