

# COVID-19 infection likely worse for vapers, smokers

March 25 2020, by Rich Holmes, Healthday Reporter

---



Smokers and vapers who get COVID-19 can probably expect a more

severe infection, health experts warn.

Many advisories have focused on the risk facing older people, those with chronic conditions such as diabetes, and people with compromised immune systems, such as cancer patients. But doctors also caution that users of electronic cigarettes and tobacco are more in danger from the new coronavirus than the average healthy person.

If you vape, "you're going to make lungs more vulnerable to severe infection," said Dr. Panagis Galiatsatos, an American Lung Association spokesman who is also director of the tobacco treatment clinic at Johns Hopkins Hospital, in Baltimore.

Vaping introduces toxic chemicals that harm lung cells and change their metabolism, Galiatsatos said, and it also curbs the body's immune system.

Data from China's [coronavirus](#) outbreak showed infected smokers and residents of cities with high levels of air pollution had more severe symptoms, he said. Galiatsatos predicted use of [e-cigarettes](#) will have the same effect.

A study of 78 patients with COVID-19 pneumonia in Wuhan, China, published recently in the *Chinese Medical Journal*, listed history of smoking as one factor contributing to poorer patient outcomes.

Stanton Glantz, director of the University of California, San Francisco (UCSF) Center for Tobacco Control Research and Education, cited that study in a recent online UCSF commentary.

"The odds of disease progression (including to death) were 14 times higher among people with a history of smoking," he wrote, calling on the public to stop smoking and [vaping](#), and to also steer clear of [secondhand](#)

[smoke](#).

Because vaping is a recent phenomenon, less is known about its harmful long-term effects than about smoking tobacco, which has been studied for decades.

But e-cigarettes have come under growing scrutiny since last year when more than 2,000 cases of severe lung damage and death were reported among vapers. Most of those cases were associated with products containing an additive called vitamin E acetate, and THC, the psychoactive component of marijuana, according to the U.S. Centers for Disease Control and Prevention.

As cases of COVID-19 continue to spread across all 50 states, the consequences for smokers and vapers should soon be clear. But evidence pointing to poorer outcomes already exists.

Dr. Sucharita Kher, director of the outpatient pulmonary clinic at Tufts Medical Center in Boston, said animal studies have shown e-cigarette vapor "adversely affects the lung cells' ability to fight against a virus."

She added that smokers also have a higher rate of hospitalization for influenza, another viral respiratory infection.

But Kher added that the Chinese data do not prove smoking caused worse outcomes for COVID-19 pneumonia patients. They do, however, show a link. There's much to learn about the virus, she said.

"We have to interpret it with caution," she explained.

Vaping substances that contain THC or nicotine "definitely has short-term health consequences," said Dr. Alexa Miseses, a [family doctor](#) in Durham, N.C., who expects studies will eventually show similar long-

term links.

Researchers know tobacco smoking has long-term consequences, including chronic obstructive pulmonary disease (COPD), emphysema or cancer, she said, but no long-term studies have yet been done on vaping.

"My gut ... or I should say, my medical education, leads me to believe" years of e-cigarette use will eventually be linked to these or similar outcomes, Mieses said.

"First and foremost, vaping and smoking don't just affect your respiratory system, but pose a threat to your overall health," she said.

Mieses and Kher recommended people who wish to quit vaping contact their family doctor for help.

Kher noted that vaping has not been shown to be an effective smoking-cessation aid and e-cigarette users are more likely to become tobacco smokers. She said seven drugs have been approved by the U.S. Food and Drug Administration to help people quit [smoking](#), but there is no approved medicine for those wanting to quit e-cigarettes.

"I highly recommend they talk to their doctors and try to quit vaping or try to cut down," she said.

**More information:** The UCSF Center for Tobacco Control Research and Education has more about the [health effects of vaping](#).

Copyright © 2020 [HealthDay](#). All rights reserved.

Citation: COVID-19 infection likely worse for vapers, smokers (2020, March 25) retrieved 27

April 2024 from

<https://medicalxpress.com/news/2020-03-covid-infection-worse-vapers-smokers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.