

# A child's home environment can impact the risk of developing depression

April 28 2020

---



Credit: CC0 Public Domain

New research, published online today in the *American Journal of Psychiatry*, finds that children's rearing environment has a meaningful impact on their risk for major depression later in life, and notes the importance supporting of nurturing environments when children are at risk. In the study, authors analyzed the health records of full and half

siblings with at least one biological parent with depression who were raised by either their biological parents or in carefully screened adoptive homes. Generally, the children in adopted homes showed lower risk, but whatever the setting, episodes of major depression in the parents meant the children were more susceptible to depression themselves.

"The Rearing Environment and Risk for Major Depression: A Swedish National High-Risk Home-Reared and Adopted-Away Co-Sibling Control Study"—led by Kenneth S. Kendler, M.D., with Virginia Commonwealth University in Richmond, and Kristina Sundquist, M.D., Ph.D., from Lund University in Malmö, Sweden—involved data from the Swedish National Sample. The researchers identified 666 high-risk full sibling pairs and 2,596 high-risk pairs of half siblings each with at least one child reared at home and one adopted. High risk was defined as having at least one biological parent with [major depression](#). In Sweden, the adoptive [parents](#) are carefully screened and undergo a rigorous selection process to ensure their ability to "provide a supportive and generally advantaged home for their adoptive child."

In the full sibling group, the risk for major depression among adopted siblings was 23% lower than the sibling raised in the home with their birth family. In the group of half siblings, the risk of depression was 19% lower for the adopted siblings. For both the full and half sibling groups, the protective effect of adoption disappeared when an adoptive parent or step-[sibling](#) had major depression or when the

The study authors conclude that their results "further strengthen the evidence that high-quality rearing environments can meaningfully reduce rates of major depression in individuals at high familial risk." The research also "supports efforts to improve the rearing environment in high-risk families as an approach to the primary prevention of major depression," the authors note.

Myrna M. Weissman, Ph.D., from Columbia University Vagelos College of Physicians and Surgeons, noted in her accompanying commentary that to the question of whether it is nature or nurture that contributes to depression risk, the answer remains "yes," it is nature and nurture, with relative proportions and for which type of depression continuing to be examined. Yet, for the present study "the results demonstrate the strong impact of the rearing environment on risk for major [depression](#) and support the importance of intervention efforts to improve the rearing [environment](#) in high risk families."

**More information:** *American Journal of Psychiatry* (2020). [DOI: 10.1176/appi.ajp.2019.19090911](https://doi.org/10.1176/appi.ajp.2019.19090911)

Provided by American Psychiatric Association

Citation: A child's home environment can impact the risk of developing depression (2020, April 28) retrieved 17 May 2024 from <https://medicalxpress.com/news/2020-04-child-home-environment-impact-depression.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--