

Repurposed drug helps obese mice lose weight, improve metabolic function

May 14 2020

An off-label experiment in mice using disulfiram, which has been used to treat alcohol use disorder for more than 50 years, consistently normalized body weight and reversed metabolic damage in obese middleaged mice of both sexes. The international study was led by researchers at the National Institute on Aging (NIA), part of the National Institutes of Health . The results were published online in the journal *Cell Metabolism* on May 14.

The scientific team studied groups of 9-month-old lab <u>mice</u> who had been fed a <u>high-fat diet</u> for 12 weeks. As expected, this diet made the mice overweight and they started to show signs of pre-diabetes-like metabolic problems, such as insulin resistance and elevated fasting blood sugar levels. Next, the scientists divided these mice into four groups to be fed four different diets for an additional 12 weeks: a standard diet alone, a high-fat diet alone, a high-fat diet with a low amount of disulfiram, or a high-fat diet with a higher amount of disulfiram. As expected, the mice who stayed on the high-fat diet alone continued to gain weight and show metabolic problems. Mice who switched to standard diet alone gradually saw their body weight, fat composition and blood sugar levels return to normal.

The mice in the remaining two groups, with either a low or high dose of disulfiram added to their still-fatty food, showed a dramatic decrease in their weight and related metabolic damage. Mice on the high disulfiram dose lost as much as 40% of their <u>body weight</u> in just four weeks, effectively normalizing their weight to that of obese mice who were



switched back to standard diet. Mice in either disulfiram dose diet group became leaner and showed significant improvement in blood glucose levels on par with the mice who were returned to standard diet. Disulfiram treatment, which has few harmful side effects in humans, also appeared to protect the pancreas and liver from damage caused by pre-diabetic type metabolic changes and fat build up usually caused by eating a high-fat diet.

The NIA scientists, Michel Bernier, Ph.D., and Rafael de Cabo, Ph.D., collaborate frequently with researchers at NIH and beyond on studies into how changes in dietary patterns like intermittent fasting could lead to cognitive and physical health benefits. They first became interested in disulfiram after reading about the benefits this class of drug has shown in treating type 2 diabetes in rats, coupled with the growing interest in repurposing drugs that may also improve healthy aging.

"When we first went down this path, we did not know what to expect, but once we started to see data showing dramatic weight loss and leaner body mass in the mice, we turned to each other and couldn't quite believe our eyes," Bernier said.

According to study's research team, the key to the positive results seem to stem from disulfiram's anti-inflammatory properties, which helped the mice avoid imbalances in fasting glucose and protected them from the damage of fatty <u>diet</u> and weight gain while improving metabolic efficiency. Both groups of obese mice (control and disulfiram) were not subjected to any form of exercise, nor did they demonstrate noticeable spontaneous behavioral changes. Based on the evidence they observed, the researchers believe the beneficial results of disulfiram stem solely from the drug. They did not observe any negative side effects from disulfiram in the mice.

The research team stresses that these results are based on animal studies,



and they cannot be extrapolated to any potential benefits for human at this point. It is recommended that disulfiram not be used off-label for weight management outside of the context of clinical trials. Still, given the findings, they are planning future steps for studying disulfiram's potential, including a controlled clinical study to test if it could help individuals with morbid obesity lose weight, as well as deeper investigation into the drug's molecular mechanisms and potential for combining with other therapeutic interventions.

The research was supported by NIA through its intramural research program, NIA grants AG031782 and AG038072, in collaboration with colleagues from the National Institute of Alcohol Abuse and Alcoholism, Yale University, Albert Einstein College of Medicine, Korea Research Institute of Bioscience and Biotechnology, and University of Sydney, Australia.

This press release describes a basic research finding. Basic research increases our understanding of human behavior and biology, which is foundational to advancing new and better ways to prevent, diagnose and treat disease. Science is an unpredictable and incremental process—each research advance builds on past discoveries, often in unexpected ways. Most clinical advances would not be possible without the knowledge of fundamental basic research.

More information: Michel Bernier et al, Disulfiram Treatment Normalizes Body Weight in Obese Mice, *Cell Metabolism* (2020). <u>DOI:</u> <u>10.1016/j.cmet.2020.04.019</u>

Provided by NIH/National Institute on Aging

Citation: Repurposed drug helps obese mice lose weight, improve metabolic function (2020, May



14) retrieved 1 May 2024 from <u>https://medicalxpress.com/news/2020-05-repurposed-drug-obese-mice-weight.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.