


# Researchers: COVID-19 spreads ten meters or more by breathing

July 6 2020

---



Credit: Pixabay/CC0 Public Domain

A plea issued by 239 scientists from around the world to recognize and mitigate airborne transmission of COVID-19 addressed to international health authorities is to be published in the journal *Clinical Infectious*

*Diseases.*

The 239 signatories from 32 countries come from many different areas of science and engineering, including virology, aerosol physics, flow dynamics, exposure and epidemiology, medicine, and building engineering.

Led by internationally recognized [air quality](#) and health expert QUT Professor Lidia Morawska, the appeal is to address the overwhelming research finding that an infected person exhales airborne virus droplets when breathing and talking that can travel further than the current 1.5m social distance requirement.

"Studies by the signatories and other scientists have demonstrated beyond any reasonable doubt that viruses are exhaled in microdroplets small enough to remain aloft in the air and pose a risk of exposure beyond 1 to 2m by an infected person," Professor Morawska, director of the International Air Quality and Health Laboratory, said.

"At typical indoor air velocities, a 5-micron droplet will travel tens of meters, much greater than the scale of a typical room while settling from a height of 1.5m above the floor."

Signatories to the appeal come from many disciplines including different areas of science and engineering, including virology, aerosol physics, flow dynamics, exposure and epidemiology, medicine, and [building](#) engineering.

"Expertise in many science and engineering areas enables us to understand the characteristics and mechanisms behind the generation of respiratory microdroplets, how viruses survive in these microdroplets, and how airflow patterns carry microdroplets in buildings," Professor Morawska said.

The measures that need to be taken to mitigate airborne transmission include:

- Provide sufficient and effective ventilation (supply clean outdoor air, minimize recirculating air) particularly in [public buildings](#), workplace environments, schools, hospitals, and aged care homes.
- Supplement general ventilation with airborne infection controls such as local exhaust, high efficiency air filtration, and germicidal ultraviolet lights.
- Avoid overcrowding, particularly in public transport and public buildings.

"These are practical and can be easily implemented and many are not costly. For example, simple steps such as opening both doors and windows can dramatically increase air flow rates in many buildings. Numerous health authorities currently focus on hand-washing, maintaining social distancing, and droplet precautions. Hand-washing and social distancing are appropriate, but it is view, insufficient to provide protection from virus-carrying respiratory microdroplets released into the air by infected people."

Professor Morawska said several retrospective studies of the SARS epidemic had shown that airborne transmission was the most likely mechanism that explained the spatial pattern of infections.

"For example, a recent study analyzed the data and video records in a restaurant where three separate groups of diners contracted COVID-19, and observed no evidence of direct or indirect contact between the three groups, but modeled how the transmission occurred through the air.

"We are concerned that people may think they are fully protected by following the current recommendations, but in fact, additional airborne

precautions are needed to further reduce the spread of the virus."

"It is Time to Address Airborne Transmission of COVID-19" is due to be published in *Clinical Infectious Diseases*.

Provided by Queensland University of Technology

Citation: Researchers: COVID-19 spreads ten meters or more by breathing (2020, July 6)  
retrieved 20 April 2024 from <https://medicalxpress.com/news/2020-07-covid-ten-meters.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.