

Increasing global consumption of antibiotics reflects stewardship challenges

July 28 2020



Credit: CC0 Public Domain

Antibiotic consumption per capita increased nearly 40 percent worldwide between 2000 and 2015, primarily driven by increases in lowand middle-income countries (LMICs) where lack of access to antibiotics exists alongside overuse. In an effort to balance appropriate access to antibiotics and stewardship across countries, the World Health



Organization (WHO) introduced the Access, Watch, Reserve (AWaRe) framework in 2017, which classifies antibiotics based on their resistance potential. Monitoring global antibiotic use is an essential strategy in reducing the threat of antimicrobial resistance, and evidence is lacking on global antibiotic consumption based on AWaRe classification over time.

To measure these patterns, researchers calculated the proportion of antibiotic <u>consumption</u> in each AWaRe category as well as the ratio of Access to Watch <u>antibiotics</u> across 76 countries between 2000 and 2015 using quarterly national sample survey data from IQVIA. Results were expressed in defined daily doses per 1,000 inhabitants per day (DIDs).

"Antibiotic stewardship is one of the key pillars of improved use of antibiotics, which both ensures appropriate therapy and reduces the emergence and spread of antibiotic resistance. The AWaRe classification tool allows national and global inference about the overall quality of antibiotic use in a country. Evaluating the long-term changes in consumption, provides one mechanism for evaluating and establishing global consumption goals," said CDDEP Senior Fellow, Eili Klein.

The study found that global per capita antibiotic consumption increased 90.9 percent in Watch antibiotics and 26.2 percent in Access antibiotics between 2000 and 2015. The substantial increase in the proportion of Watch antibiotic consumption was driven primarily by low- and <u>middle-income countries</u>, which saw an increase of 165 percent (2.0 to 5.3 DIDs), compared to just 27.9 percent in high-income countries (HICs) (6.1 to 7.8 DIDs). The ratio of Access to Watch antibiotics varied considerably across countries, decreasing by 46.7 percent in LMICs (from 3.0 to 1.6) and 16.7 percent in HICs (from 1.8 to 1.5) over the study period. Of concern, the proportion of countries that met the WHO national-level target of at least 60 percent of a country's total antibiotic consumption comprising Access antibiotics, decreased from 76 percent



in 2000 to 55 percent in 2015.

"The rapid increase in the use of Watch antibiotics, particularly in LMICs, poses a significant challenge for global health. While greater understanding of the reasons for this rise is needed at the country level, taken as a whole they paint a bleak future for antibiotic effectiveness," according to co-author and CDDEP Director, Ramanan Laxminarayan.

Overall, results indicate that the growth of Watch antibiotic consumption was nearly four times greater than that of Access antibiotic consumption over 15 years, which reflects challenges in improving appropriate antibiotic use and access to antibiotics, particularly in LMICs. Current estimates suggest that without policy changes, reaching the WHO national-level target by 2023 will be difficult to achieve for many countries. The study titled, "Assessment of WHO <u>antibiotic consumption</u> and access targets in 76 countries, 2000-15: an analysis of pharmaceutical sales data," was published on July 24, 2020 in *The Lancet Infectious Diseases* and is available online.

More information: Eili Y Klein et al, Assessment of WHO antibiotic consumption and access targets in 76 countries, 2000–15: an analysis of pharmaceutical sales data, *The Lancet Infectious Diseases* (2020). DOI: 10.1016/S1473-3099(20)30332-7

Provided by Center for Disease Dynamics, Economics & Policy

Citation: Increasing global consumption of antibiotics reflects stewardship challenges (2020, July 28) retrieved 27 April 2024 from <u>https://medicalxpress.com/news/2020-07-global-consumption-antibiotics-stewardship.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.