

Yoga linked with improved symptoms in heart patients

August 24 2020



Credit: CC0 Public Domain

Yoga postures and breathing could help patients with atrial fibrillation manage their symptoms, according to research presented today at ESC Congress 2020.

Atrial [fibrillation](#) is the most common heart rhythm disorder. One in four middle-aged adults in Europe and the US will develop the condition, which causes 20-30% of all strokes and increases the risk of death by 1.5-fold in men and 2-fold in women. Reduced [quality of life](#) is common, and 10-40% of [patients](#) are hospitalised each year.

Symptoms of atrial fibrillation include palpitations, racing or irregular pulse, shortness of breath, tiredness, [chest pain](#) and dizziness.

"The symptoms of atrial fibrillation can be distressing. They come and go, causing many patients to feel anxious and limiting their ability to live a normal life," said study author Dr. Naresh Sen of HG SMS Hospital, Jaipur, India.

This study investigated whether yoga could ease symptoms in patients with atrial fibrillation. The study enrolled 538 patients in 2012 to 2017. Patients served as their own controls. For 12 weeks they did no yoga, then for 16 weeks patients attended 30-minute yoga sessions every other day which included postures and breathing. During the yoga period, patients were also encouraged to practice the movements and breathing at home on a daily basis.

During both study periods, symptoms and episodes of atrial fibrillation were recorded in a diary. Some patients also wore a heart monitor to verify atrial fibrillation episodes. Patients completed an anxiety and depression survey and a questionnaire assessing their ability to do daily activities and socialise, energy levels and mood. Heart rate and blood pressure were also measured. The researchers then compared outcomes between the yoga and non-yoga periods.

During the 16-week yoga period, patients experienced significant improvements in all areas compared to the 12-week non-yoga period. For example, during the non-yoga period, patients experienced an

average of 15 symptomatic episodes of atrial fibrillation compared to eight episodes during the yoga period. Average [blood pressure](#) was 11/6 mmHg lower after yoga training.

Dr. Sen said: "Our study suggests that [yoga](#) has wide-ranging physical and mental health benefits for patients with [atrial fibrillation](#) and could be added on top of usual therapies."

More information: Abstract title: Yoga could reduce the burden and symptoms of atrial fibrillation as well as medication related side effects and the complications with cardiac ablation.

Provided by European Society of Cardiology

Citation: Yoga linked with improved symptoms in heart patients (2020, August 24) retrieved 11 May 2024 from <https://medicalxpress.com/news/2020-08-yoga-linked-symptoms-heart-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.