

Loss of a pet can potentially trigger mental health issues in children

September 10 2020



Credit: Pixabay/CC0 Public Domain

The death of a family pet can trigger a sense of grief in children that is profound and prolonged, and can potentially lead to subsequent mental

health issues, according to a new study by researchers at Massachusetts General Hospital (MGH). In a paper appearing in *European Child & Adolescent Psychiatry*, the team found that the strong emotional attachment of youngsters to pets might result in measurable psychological distress that can serve as an indicator of depression in children and adolescents for as long as three years or more after the loss of a beloved pet.

"One of the first major losses a child will encounter is likely to be the death of a pet, and the impact can be traumatic, especially when that pet feels like a member of the family," says Katherine Crawford, CGC, previously with the Center for Genomic Medicine at MGH, and lead author of the study. "We found this experience of pet death is often associated with elevated mental health symptoms in [children](#), and that parents and physicians need to recognize and take those symptoms seriously, not simply brush them off."

Roughly half of households in developed countries own at least one pet. And as the MGH investigators reported, the bonds that children form with pets can resemble secure human relationships in terms of providing affection, protection and reassurance. What's more, previous studies have shown that children often turn to pets for comfort and to voice their fears and emotional experiences. While the increased empathy, [self-esteem](#) and social competence that often flow from this interaction is clearly beneficial, the downside is the exposure of children to the death of a pet which, the MGH study found, occurs with 63 percent of children with pets during their first seven years of life.

Prior research has focused on the attachment of adults to pets and the consequences of an animal's death. The MGH team is the first to examine mental health responses in children. Their analysis is based on a sample of 6,260 children from the Avon Longitudinal Study of Parents and Children (ALSPAC), in Bristol, England. This population-based

sample is replete with data collected from mothers and children that enabled researchers to track the experience of pet ownership and pet loss from a child's early age up to eight years.

"Thanks to this cohort, we were able to analyze the mental and emotional health of children after examining their experiences with pet death over an extended period," notes Erin Dunn, ScD, MPH, with the MGH Center for Genomic Medicine and Department of Psychiatry, and senior author of the study. "And we observed that the association between exposure to a pet's death and psychopathology symptoms in childhood occurred regardless of the child's socio-economic status or hardships they had already endured in their young lives."

Researchers also learned that the relationship between pet death and increased psychopathology was more pronounced in male than female children—a finding that surprised them in light of prior research—and that the strength of the association was independent of when the pet's death occurred during childhood, and how many times or how recently it occurred. According to Dunn, this latter finding speaks to "the durability of the bond with pets that is formed at a very early age, and how it can affect children across their development."

The MGH study stressed the importance of parents, caregivers and pediatricians recognizing and taking seriously the short- and long-term psychological reactions of children to the death of a pet—reactions which can mimic a child's response to the loss of other important family members. "Adults need to pay attention to whether those feelings are deeper and more profound and if they're lasting longer than might have been expected," says Crawford. "They could be signs of complicated grief and having someone to talk to in a sympathetic or therapeutic way may be extremely helpful for a child who is grieving."

More information: Katherine M. Crawford et al, The mental health

effects of pet death during childhood: is it better to have loved and lost than never to have loved at all?, *European Child & Adolescent Psychiatry* (2020). [DOI: 10.1007/s00787-020-01594-5](https://doi.org/10.1007/s00787-020-01594-5)

Provided by Massachusetts General Hospital

Citation: Loss of a pet can potentially trigger mental health issues in children (2020, September 10) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-09-loss-pet-potentially-trigger-mental.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.