

## **Even in people with Parkinson's gene, coffee may be protective**

September 30 2020



Credit: CC0 Public Domain

Even for people with a gene mutation tied to Parkinson's disease, coffee consumption may be associated with a lower risk of actually developing the disease, according to a new study published in the September 30,



2020, online issue of *Neurology*, the medical journal of the American Academy of Neurology.

"These results are promising and encourage future research exploring <u>caffeine</u> and caffeine-related therapies to lessen the chance that people with this gene develop Parkinson's," said study author Grace Crotty, M.D., of Massachusetts General Hospital in Boston and a member of the American Academy of Neurology. "It's also possible that caffeine levels in the blood could be used as a biomarker to help identify which people with this gene will develop the <u>disease</u>, assuming caffeine levels remain relatively stable."

Earlier studies have shown that <u>coffee consumption</u> may protect against the development of Parkinson's disease in people who have no genetic risk factors for the disease. This study looked at people with a genetic mutation that increases the risk of Parkinson's. The mutation is in a gene called LRRK2 for leucine-rich repeat kinase 2. But having the abnormal gene does not guarantee that people will develop the disease, so researchers are hoping to identify other genetic or environmental factors that affect whether people develop the disease.

The study compared 188 people who had Parkinson's disease to 180 people who did not have the disease; both groups had people with the LRRK2 gene mutation and those without it. Researchers looked at the amount of caffeine in the blood, as well as other chemicals that are produced as caffeine is metabolized in the body, and how it varied among the groups. A total of 212 of the participants also completed questionnaires about how much caffeine they consumed each day.

Among people carrying the LRRK2 gene mutation, those who had Parkinson's had a 76% lower concentration of caffeine in their blood than those who did not have Parkinson's. People with Parkinson's with a normal copy of the gene had a 31% lower concentration of caffeine in



their blood than non-carriers without Parkinson's.

Carriers of the gene mutation who had Parkinson's also had lower consumption of caffeine in their diet. The gene carriers with Parkinson's consumed 41% less caffeine per day than the people who did not have Parkinson's, both with and without the gene mutation.

"We don't know yet whether people who are predisposed to Parkinson's may tend to avoid drinking coffee or if some mutation carriers drink a lot of coffee and benefit from its neuroprotective effects," Crotty said.

Crotty noted that the study looked at people at one point in time, so it does not help researchers understand any effect caffeine has over time on the risk for Parkinson's or how it may affect the disease's progression. It also does not prove that caffeine consumption directly causes a <u>lower</u> risk of Parkinson's; it only shows an association.

Provided by American Academy of Neurology

Citation: Even in people with Parkinson's gene, coffee may be protective (2020, September 30) retrieved 9 May 2024 from <u>https://medicalxpress.com/news/2020-09-people-parkinson-gene-coffee.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.