

Resistance training: here's why it's so effective for weight loss

September 29 2020, by David R Clark, Carl Langan-Evans and Robert M. Erskine



Credit: AI-generated image ([disclaimer](#))

Weight lifting, also known as resistance training, has been [practised for centuries](#) as a way of building muscular strength. Research shows that resistance training, whether done via body weight, resistance bands or machines, dumbbells or free weights, not only helps us [build strength](#),

but also [improves muscle size](#) and can help counteract [age-related muscle loss](#).

More recently it's become popular among those looking to lose weight. While exercises such as running and cycling are indeed effective for [reducing body fat](#), these activities can simultaneously decrease [muscle size](#), leading to [weaker muscles](#) and greater perceived weight loss, as muscle is [more dense than fat](#). But unlike endurance exercises, evidence shows [resistance training](#) not only has [beneficial effects](#) on [reducing body fat](#), it also [increases muscle size](#) and strength.

The 'after-burn effect'

When we exercise, our muscles need more energy than they do when resting. This energy comes from our muscles' ability to break down fat and carbohydrate (stored within the muscle, liver and fat tissue) with the help of oxygen. So during exercise, we breathe faster and our heart works harder to pump more oxygen, fat, and carbohydrate to our exercising muscles.

What is less obvious, however, is that after we've finished exercising, oxygen uptake actually remains elevated in order to [restore muscles](#) to their resting state by breaking down stored fat and carbohydrates. This phenomenon is called excess post-exercise oxygen consumption (EPOC) – though more commonly known as the "after-burn effect". It describes how long oxygen uptake remains elevated after exercise in order to help the muscles recover.

The [extent and duration](#) of the after-burn effect is determined by the type, length, and intensity of exercise, as well as fitness level and diet. Longer-lasting exercise that uses multiple large muscles, performed to or near fatigue, results in higher and longer-lasting after-burn.

High-intensity interval training (HIIT) and high intensity resistance training are [most effective](#) at elevating both short and long-term after-burn. The reason HIIT-type exercises are thought to be more effective than steady-state endurance exercise is because of the increased fatigue associated with HIIT. This fatigue leads to more oxygen and energy required over a [prolonged period](#) to repair damaged muscle and replenish depleted energy stores. As such, resistance exercise is an effective way to lose excess fat due to the high calorie cost of the actual training session, and the "after-burn effect".

Long-term fat loss

Resistance training can also be effective for long-term weight control, too. This is because muscle size plays a major role in determining resting metabolic rate (RMR), which is how many calories your body requires to function at rest. Resting [metabolic rate](#) accounts for [60-75% of total energy expenditure](#) in non-exercising people, and fat is the body's [preferred energy source](#) at rest.

Increasing muscle size through resistance training increases RMR, thereby increasing or sustaining [fat loss over time](#). A review of 18 studies found that resistance training was effective at [increasing resting metabolic rate](#), whereas aerobic exercise and combined aerobic and resistance exercise were [not as effective](#). However, it's also important to [control calorie intake](#) in order to lose fat and sustain fat loss.

Resistance training exercises should engage the largest muscle groups, use whole body exercises performed standing and should involve two or more joints. All of these make the body work harder, thereby increasing the amount of muscle and therefore RMR. An effective [resistance training](#) programme should combine intensity, volume (number of exercises and sets), and progression (increasing both as you get stronger). The intensity should be high enough that you feel challenged during your

workout.

The most effective way of doing this is using the repetition maximum method. For the purpose of fat loss, this should be performing between [six and ten repetitions](#) of an exercise with a resistance that results in fatigue, so that you cannot comfortably do another full repetition after the last one. Three to four sets, two or three times a week for [each muscle group](#) is recommended.

The repetition maximum method also ensures progression, because the stronger you get, the more you will need to increase resistance or load to cause fatigue by the tenth repetition. Progression can be achieved by increasing the resistance or intensity so that fatigue occurs after performing fewer repetitions, say eight or six.

Resistance [training](#) helps with excess fat loss by increasing both after-burn after [exercise](#), and by increasing muscle size, thereby increasing the number of calories we burn at rest. Combining it with a healthy diet will only further increase the loss of excess [body fat](#)—and may also provide other positive health benefits.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Resistance training: here's why it's so effective for weight loss (2020, September 29) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-09-resistance-effective-weight-loss.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.