

Small increase in risk of autism seen for pre- and post-term births

September 22 2020



Credit: CC0 Public Domain

A study of more than 3.5 million Nordic children suggests that the risk of autism spectrum disorder (ASD) may increase slightly for each week a child is born before or after 40 weeks of gestation. Martina Persson of the Karolinska Institutet in Stockholm, Sweden and colleagues present these findings in the open-access journal *PLOS Medicine*.

The causes of ASD are complex and remain unresolved, but they likely involve both genetic and environmental factors. Some previous research suggests that children born before or after their due dates (40 weeks of gestation) may have an elevated risk of ASD. However, most of those studies have been limited in scope and have not accounted for sex and [birth weight](#).

To better understand potential links between [gestational age](#) and risk of ASD, Persson and colleagues analyzed medical registry data on more than 3.5 million children born in Sweden, Finland, or Norway between 1995 to 2015. Within that cohort, 1.44 percent of the children were diagnosed with ASD, and 4.7 percent were born pre-term—before 37 weeks of gestation.

The analysis, which covered gestational ages at [birth](#) ranging from 22 to 44 weeks, showed that overall risk of ASD was low for every age, especially for girls born post-term (after 42 weeks of gestation). However, the relative risk of ASD increased for each week of gestational age below or above 40 weeks.

Of the [children](#) born at term—in weeks 37 to 42—0.83 percent were diagnosed with ASD. The percentage was 1.67 for those born in weeks 22 to 31, 1.08 percent for weeks 32 to 36, and 1.74 for weeks 43 to 44. These differences in risk were independent of sex and birth weight for gestational age.

These findings provide new insights into the potential links between risk of ASD and gestational age at birth—which is potentially modifiable. More research will be needed to clarify these links and investigate whether they could lead to strategies to [lower risk](#) by addressing pre-term birth.

More information: Persson M, Opdahl S, Risnes K, Gross R, Kajantie

E, Reichenberg A, et al. (2020) Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study. *PLoS Med* 17(9): e1003207. doi.org/10.1371/journal.pmed.1003207

Provided by Public Library of Science

Citation: Small increase in risk of autism seen for pre- and post-term births (2020, September 22) retrieved 22 May 2024 from <https://medicalxpress.com/news/2020-09-small-autism-pre-post-term-births.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--