

# Artificially sweetened drinks may not be heart healthier than sugary drinks

October 27 2020

---



Credit: CC0 Public Domain

Sugary drinks and artificially sweetened beverages are associated with a

higher risk of cardiovascular disease, which suggests artificially sweetened beverages may not be the healthy alternative they are often claimed to be, according to a research letter in the *Journal of the American College of Cardiology*.

Research has shown that diets including beverages sweetened with sugar can have a negative impact on cardio-metabolic health. Artificially sweetened drinks have been suggested as a healthier alternative, but their impact on cardiovascular health is not fully known. In this paper, researchers looked at data from the French NutriNet-Santé cohort to investigate the relationship between the risk of [cardiovascular disease](#) and consuming sugary drinks and artificially sweetened drinks.

Records for 104,760 participants were included. They were asked to fill out three validated web-based 24-hour dietary records every six months. Artificially sweetened beverages were defined as those containing non-nutritive sweeteners. Sugary drinks consisted of all beverages containing 5% or more sugar. For each beverage category, participants were divided into non-consumers, low consumers and high consumers.

Researchers looked at first incident cases of cardiovascular disease during follow-up from 2009-2019, which were defined as stroke, transient ischemic attack, myocardial infarction, acute coronary syndrome and angioplasty. After excluding the first three years of follow-up to account for potential reverse causality bias, 1,379 participants had first incident cases of cardiovascular disease. Compared to non-consumers, both higher consumers of sugary drinks and of artificially sweetened beverages had higher risks of first incident cardiovascular disease, after taking into account a wide range of confounding factors.

In addition to a higher risk of heart health issues, Eloi Chazelas, Ph.D. student, lead author of the study and a member of the Nutritional Epidemiology Research Team (Sorbonne Paris Nord University, Inserm,

Inrae, Cnam) said the study may have further regulatory implications.

"Our study suggests artificially sweetened beverages may not be a healthy substitute for sugar drinks, and these data provide additional arguments to fuel the current debate on taxes, labeling and regulation of [sugary drinks](#) and artificially sweetened beverages," Chazelas said.

Researchers said to establish a [causal link](#) between sugary and artificially sweetened [beverages](#) and cardiovascular [disease](#), replication in large-scale prospective cohorts and mechanistic investigations will be needed.

**More information:** Eloi Chazelas et al. Sugary Drinks, Artificially-Sweetened Beverages, and Cardiovascular Disease in the NutriNet-Santé Cohort, *Journal of the American College of Cardiology* (2020). [DOI: 10.1016/j.jacc.2020.08.075](#)

Provided by American College of Cardiology

Citation: Artificially sweetened drinks may not be heart healthier than sugary drinks (2020, October 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-10-artificially-sweetened-heart-healthier-sugary.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--