


Destroying cancer cells with non-surgical ultrasound treatment

October 26 2020



Conceptual diagram of bio-organizational crushing technology based on high-intensity concentric ultrasonography. Credit: Korea Institue of Science and Technology(KIST)




Focusing ultrasound energy on a target site in the body to generate heat can incinerate and destroy the tissue at the site without a surgical procedure. This method is clinically applied to treat uterine fibroids, prostatic hyperplasia, prostate cancer, metastatic bone tumor and other types of tumor to destroy tumor cells using heat. However, there is a potential problem in that the surrounding tissue may be damanged in the process due to heat diffusion.

In 2019, at the Korea Institute of Science and Technology (KIST) Center for Bionics, Dr. Ki Joo Pahk's research team confirmed the possibility of precisely fractionating target <u>tumor cells</u>, as though it is cut out using a knife, without causing heat damage to any other part of the body by using high-intensity focused ultrasound (HIFU), an ultrasound with an acoustic pressure in megapascals (MPa) that is much more powerful than existing ultrasound, and revealed the mechanism behind the procedure. (*Ultrasonics Sonochemistry*. 2019, 53, 164-177)

In the process of physically destroying the <u>tissue</u> without the use of heat, a boiling vapor bubble is generated at the target site of the HIFU, and it is by the kinetic energy of this primary vapor bubble that the target <u>tumor</u> tissue is destroyed. However, during the process, cavitation bubble clouds can be subsequently generated between the boiling bubble and the HIFU transducer, leading to unwanted cell destruction. This made it necessary to identify the cause of their formation and to accurately predict the locations of their occurrence.





The mechanism and its shape of the secondary bubble generation. Credit: Korea Institue of Science and Technology(KIST)

In order to reveal the mechanism of cavitation bubble clouds formation occurring when tumor tissue is removed by HIFU, the research team at KIST developed a mathematical model as part of their follow-up study and examined the impact of the primary boiling vapor bubble on nonlinear wave propagation. The results showed that the secondary generation of bubbles was caused by a constructive interference of the backscattered shockwave by the boiling bubble with the incoming incident shockwaves and it is within the range of this interference that the secondary bubbles formed. Based on the images obtained using a high-speed camera, it was found that the area where the interference occurred and the area where the secondary bubbles were generated were closely matched.

These findings not only explain the mechanism behind the secondary bubbles formation but also help predict where they will occur, thereby presenting the possibility of destroying target tissue with greater safety



and precision.

Dr. Pahk from KIST said, "This study has shown that cavitation bubble clouds can be subsequently generated as a result of a shock scattering effect after a boiling vapor bubble forms where the ultrasound is focused. Using the mathematical model developed in this study, it will be possible to predict the locations of bubble formation and the potential site that is destroyed. I hope that the ultrasound technology under development will manifest in an ultra-precision focused ultrasound technology enabling physical destruction of only tumor tissue, without the need for surgery, so that it can be applied clinically in the future."

More information: Ki Joo Pahk et al, The interaction of shockwaves with a vapour bubble in boiling histotripsy: The shock scattering effect, *Ultrasonics Sonochemistry* (2020). DOI: 10.1016/j.ultsonch.2020.105312

Provided by National Research Council of Science & Technology

Citation: Destroying cancer cells with non-surgical ultrasound treatment (2020, October 26) retrieved 20 April 2024 from

https://medicalxpress.com/news/2020-10-cancer-cells-non-surgical-ultrasound-treatment.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.