

COVID-19 could threaten patients' hearts

October 20 2020, by Vincent Sorrell



Credit: CC0 Public Domain

It has been months since the coronavirus pandemic gripped the nation, leaving more than 200,000 people dead—a number that continues to climb. Meanwhile, we are learning more about the virus and its unusual presentation, as well as the toll it takes on the human body.

One particular side effect of the disease is catching our eye. We are seeing more cases where COVID-19 is attacking some patients' hearts,

and it's not necessarily patients who have a full-blown case of COVID. One of the more concerning aspects is that we are seeing myocarditis cases in patients who had mild symptoms and had already recovered.

Myocarditis can be simply considered as inflammation of the heart. It is a well-known, long-standing complication of various viruses and other infectious diseases, and can even be a side effect of some medications. Severe cases of myocarditis can lead to [heart failure](#), abnormal heartbeat and possibly death.

Patients with myocarditis typically complain of chest pain, shortness of breath, fatigue and palpitations. It is usually diagnosed with clinical features and symptoms, ECG tracing, blood tests, heart ultrasound testing and most accurately, with a cardiac magnetic resonance imaging (CMR).

So far, there is limited data and instances of myocarditis in COVID patients is rare enough that the data that does exist is based on a very few number of cases. However, a recent Cardiac MRI study from Germany found 30-60% of 100 [coronavirus](#) recovery patients had heart muscle inflammation—a much higher number than expected.

Another troubling factor? The age in which we are seeing an increasing number of myocarditis patients. While there are increases in the 65-79 year old age group, patients ages 20-29 are seeing a steady increase in myocarditis cases, too. You may have also heard concerns about myocarditis cases in athletes. While true, all [young people](#) are at risk—athletes or not. If an athlete does develop myocarditis, their respective competitive sport should be held to allow the heart to heal and lower the risk of serious cardiac arrhythmias.

Given the massive pandemic and case numbers we are seeing, many patients with COVID will have some degree of heart muscle

dysfunction, sometimes without heart symptoms and only abnormal blood tests. Other times patients have many symptoms and abnormal testing, even though the incidence of heart muscle dysfunction as a direct COVID complication may be rare.

Keeping a close eye on athletes

The heart is one of the biggest muscles in the human body. It is one of the many muscles hard at work during exercise and exertion, which goes hand in hand with playing sports. Athletes not only stress their hearts during competitive sport, they are potentially increasing the aerosolizing of coronavirus through extreme exhalation.

With the profound contagiousness of COVID-19, the high community load and lack of experience regarding long-term impact of the novel coronavirus, plus this new data, we worry about the [heart](#) health of any [athlete](#).

We have learned that COVID does not discriminate in who it chooses to infect. The concern that younger populations can catch the disease and have serious, life-threatening side effects is real and something to consider, but we still have a lot to learn.

Provided by University of Kentucky

Citation: COVID-19 could threaten patients' hearts (2020, October 20) retrieved 8 May 2024 from <https://medicalxpress.com/news/2020-10-covid-threaten-patients-hearts.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--