


# The brain network driving changes in consciousness

December 28 2020



Differences in brain activity between connected and disconnected states of consciousness studied with positron emission tomography (PET) imaging. Activity of the thalamus, anterior (ACC) and posterior cingulate cortices (PCC), and bilateral angular gyri (AG) show the most consistent associations with the state of consciousness (A = general anesthesia, B = sleep). The same brain structures, which are deactivated when the state of consciousness changes to disconnected in general anesthesia or natural sleep (cool colors in the left columns), are reactivated when regaining a connected state upon emergence from anesthesia (warm colors in the right columns). Credit: Scheinin et al., *JNeurosci* 2020

The loss and return of consciousness is linked to the same network of brain regions for both sleep and anesthesia, according to new research published in *JNeurosci*.

The biological basis of consciousness has confounded scientists for centuries. Our experimental techniques falter, as the effects of sleep and [anesthetic drugs](#) alter [brain activity](#) beyond changes in consciousness. In addition, behavior does not always reveal someone's state of consciousness. An unresponsive person might still be aware of their surroundings (connected), or unaware but still experiencing their internal world (disconnected).

Scheinin et al. sought networks associated with human consciousness by measuring the brain activity of adult males with PET as they fell asleep and went under anesthesia. The research team woke participants mid-experiment to interview them and confirm their state of connectedness. Changes in connectedness corresponded to the activity of a network comprised of regions deep inside the brain: the thalamus, anterior and [posterior cingulate cortex](#), and angular gyri. These regions exhibited less blood flow when a participant lost connectedness and more blood flow when they regained it. The pattern held true for both sleep and anesthesia, indicating the changes corresponded to connectedness rather than the effects of sleep or drugs, and that the network may be imperative for [human consciousness](#).

**More information:** Foundations of Human Consciousness: Imaging the Twilight Zone, *JNeurosci* (2020). [DOI: 10.1523/JNEUROSCI.0775-20.2020](#)

Provided by Society for Neuroscience

Citation: The brain network driving changes in consciousness (2020, December 28) retrieved 1 May 2024 from <https://medicalxpress.com/news/2020-12-brain-network-consciousness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.