

Developmental origins of eczema and psoriasis discovered

January 21 2021



Credit: Pixabay/CC0 Public Domain

Scientists have created a highly detailed map of skin, which reveals that cellular processes from development are re-activated in cells from patients with inflammatory skin disease. The researchers from the

Wellcome Sanger Institute, Newcastle University and Kings College London, discovered that skin from eczema and psoriasis patients share many of the same molecular pathways as developing skin cells. This offers potential new drug targets for treating these painful skin diseases.

Published on 22nd January in *Science*, the study also provides a completely new understanding of inflammatory disease, opening up new avenues for research on other [inflammatory diseases](#) such as rheumatoid arthritis and inflammatory bowel disease.

Part of the global Human Cell Atlas effort to map every cell type in the human body, the new comprehensive atlas of developing and adult skin is a valuable resource for scientists worldwide. It could also provide a template for regenerative medicine, helping researchers grow skin in the laboratory more effectively.

Our skin acts as a barrier, protecting us against invading bacteria or viruses, and is vital for health. Inflammatory skin diseases such as [atopic eczema](#) and psoriasis are [chronic conditions](#), where the immune system becomes overactive, causing itchy or flaky skin that can be very painful and prone to infection. These conditions can have significant impact on people's lives, but the trigger is unknown and there is no cure, with treatments only helping to relieve the symptoms, not the cause.

Skin is a complex tissue made up of many different types of [cells](#). To learn how skin forms and how this relates to adult health and disease, the researchers studied cells from developing skin, comparing these with biopsies from [healthy adults](#), and eczema and psoriasis patients. Using cutting-edge single cell technology and machine learning, the team analysed more than half a million individual [skin cells](#), to see exactly which genes were switched on in each cell. This allowed them to find out what each individual cell does and how the cells talk to each other.

To their surprise, the researchers discovered that the diseased skin cells shared many of the same cellular mechanisms as developing cells.

Professor Muzlifah Haniffa, co-senior author from Newcastle University and Associate Faculty at the Wellcome Sanger Institute, said: "This Skin Cell Atlas reveals specific molecular signals sent by healthy developing skin to summon immune cells and form a protective layer. We were amazed to see that eczema and psoriasis skin cells were sending the same molecular signals, which could over activate immune cells and cause the disease. This had never been seen before. Discovering that developing cell pathways re-emerge is a huge leap in our understanding of inflammatory skin disease, and offers new routes for finding treatments."

Dr. Gary Reynolds, a first author on the study from Newcastle University, said: "While our study focused on inflammatory skin disease, there is potential that other inflammatory diseases such as rheumatoid arthritis or [inflammatory bowel disease](#) could be triggered in the same way. This research shows the importance of studying development, and could open up entirely new avenues for inflammatory disease research."

The study uncovered how healthy skin tissue develops, and revealed the cells that are present in adult skin. This has great implications for regenerative medicine, especially for burns victims.

Professor Fiona Watt, co-senior author from Kings College London, said: "There have been decades of research on skin cells grown in the laboratory. However, it is not always clear how the properties of the cells change in the laboratory setting. By revealing the detailed make-up of cells immediately on isolation from developing and adult human skin, this Skin Cell Atlas can act as a template for researchers trying to reconstruct healthy skin in regenerative medicine. Our data is openly available, and we hope this will aid research into creating skin tissue in

the laboratory."

Dr. Sarah Teichmann co-senior author from the Wellcome Sanger Institute and University of Cambridge, and co-chair of the Human Cell Atlas initiative, said: "Part of the international Human Cell Atlas initiative to create a 'Google map' of the human body, this [skin](#) cell atlas study reveals that studying development can not only help understand how tissues are formed in the first place, but also shed vital light on diseases. This map reveals a completely new way of thinking about inflammatory diseases, and is an important reference that other scientists can use to investigate the causes of disease, and inform potential new treatments."

More information: "Developmental cell programs are co-opted in inflammatory skin disease" *Science* (2021).

[science.sciencemag.org/cgi/doi ... 1126/science.aba6500](https://science.sciencemag.org/cgi/doi/10.1126/science.aba6500)

Provided by Wellcome Trust Sanger Institute

Citation: Developmental origins of eczema and psoriasis discovered (2021, January 21) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2021-01-developmental-eczema-psoriasis.html>

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|