

Disposable helmet retains cough droplets, minimizes transmission to dentists

January 12 2021



In Physics of Fluids, researchers discuss their design of an open-faced helmet for patient use that is connected to a medical-grade air filtration pump from the top that creates a reverse flow of air to prevent cough droplets from exiting the helmet.Visualization of the helmet design. The top port is connected to an air filtration pump, which is not shown in the image. Credit: Dongjie Jia

The risk of infection of COVID-19 is high for medical specialists who come in contact with symptomatic or asymptomatic patients. Dentists



and otolaryngologists are at particular risk, since they need direct access to the mouth, nose, and throat of patients.

The current solutions, which include wearing N95 masks and face shields, clinic room evacuation, negative pressure rooms, and special air filtration systems, are expensive, not highly effective, and not very accessible.

In *Physics of Fluids*, researchers at Cornell University discuss their design of an open-faced helmet for patient use that is connected to a medical-grade air filtration pump from the top that creates a reverse flow of air to prevent cough droplets from exiting the helmet.

In a computer simulation using <u>computational fluid dynamics</u>, they showed the helmet design can contain 99.6% of droplets emitted from coughing within 0.1 seconds.

"To put this into context, if we use the same air pump to create a negative pressure isolation room, it will take about 45 minutes to remove 99.0% of the airborne contaminants from the room," said author Mahdi Esmaily.

Currently available personal protective equipment does not provide open face access while maintaining high effectiveness in containing contaminants. The proposed helmet has a shell that is 1 millimeter thick and fully encloses the head with access and vacuum ports.

A nozzle is attached to the access port to extend the distance droplets must travel against the flow and minimize their chance of escape through the opening, allowing for a smoother flow transition that reduces patient discomfort generated by flow turbulence.

The proposed helmet design could also greatly reduce cost by replacing



current practices. For example, building a negative pressure room with air filtration can cost tens of thousands of dollars. The cost of each helmet could be as cheap as couple of dollars if made disposable, said the researchers. Medical-grade HEPA filter negative air machines designed to power the <u>helmets</u> are readily available and cost around \$1,000.

"Our next step is to refine the helmet design to have higher efficiency and broader application," said author Dongjie Jia. "After that, we plan to build prototypes of the helmet and perform experiments to verify our simulation predictions."

The simulation framework could be used as a fast and accurate way to study other particle-related phenomena and designs.

More information: "Simulation of a vacuum helmet to contain pathogen-bearing droplets in dental and otolaryngologic outpatient interventions," *Physics of Fluids*, aip.scitation.org/doi/10.1063/5.0036749

Provided by American Institute of Physics

Citation: Disposable helmet retains cough droplets, minimizes transmission to dentists (2021, January 12) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2021-01-disposable-helmet-retains-droplets-minimizes.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.